



# BUNN® EQUIPMENT CATALOG

Pricing Effective October 15, 2025



# TABLE OF CONTENTS

- 1 Denny's Order Form
- 2 Server and Parts Descriptions
- 4 WEQ Cartridge Instructions
- 5 1.9L Thermal Carafe Details
- 6 ITCB-DV HV Details
- 7 Axiom® DV TC Details
- 8 TDO-N 3.5 Gallon Narrow Dispenser Details
- 9 1.5 Gallon ThermoFresh® Server Details
- 10 H5X Element Hot Water Dispenser Details
- 11 ITCB Diagnostics
- 12 Axiom® Diagnostics
- 13 Axiom® Calibration Sheet
- 14 Warranty Information
  - Airpots, Thermal Carafes, Decanters, and Tea Dispensers – 1 year parts and 1 year labor. All other Equipment – 2 years parts and 1 year labor.
  - Electronic circuit boards and/or control boards – 3 years parts and labor.
  - \*See final page of this Document for full Commercial Product Warranty Document.*

**Freight: FOB Factory.**

**Returned Goods Policy: All returns must be authorized in advance. Please call (800) 637-8606, (217) 529-6601 for outside the U.S., or email, [commercial.returns@bunn.com](mailto:commercial.returns@bunn.com) for a Return Authorization. Returns are subject to a 25% restocking charge.**



## **BUNN Commercial Order Department**

Orders:  
[specialtyaccounts@bunn.com](mailto:specialtyaccounts@bunn.com)

Questions: 217-585-7862

Hours: 8:00 am - 4:30 pm (CST)

### **CONTACT INFORMATION FOR BUNNServe® PRO:**

(800)209-2866

Available 24/7/365

*Use of this number is for Service related situations. BUNN will attempt to troubleshoot the issue at no charge over the phone and provide next steps if a Technician is needing to be dispatched to the location for Service and/or Repair.*



# Order Form

If franchisee does not have an account with BUNN, please call our Commercial Order Dept. to place your order using a credit card.

**ORDER CONTACT INFORMATION** Account Number: \_\_\_\_\_ Phone: \_\_\_\_\_

Company: \_\_\_\_\_ Contact: \_\_\_\_\_

**SHIPPING INFORMATION** (if different than billing information):

Company: \_\_\_\_\_ Contact: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State, Zip: \_\_\_\_\_ Phone: \_\_\_\_\_

PART NUMBER		QTY	PRICE	TOTAL
38700.0081	Axiom® Thermal Brewer		\$699.37	
24500.6054	PD ADV PROTPLAN 2YR W/WEQ10 - DENNYS		\$910.40	
24500.6056	PD ADV PROTPLAN 2YR LOW VOLUME W/WEQ10 + SCALE PRO - DENNYS		\$1013.00	
52300.0102	Infusion Series® ITCB Brew WISE® DBC®		\$1142.66	
24500.6055	PD ADV PROTPLAN 2YR ITCB W/WEQ10 - DENNYS		\$910.40	
24500.6057	PD ADV PROTPLAN 2YR ITCB W/WEQ10 + SCALE PRO - DENNYS		\$1013.00	
20216.0000	Axiom TC Replacement SST Brew Funnel		\$50.80	
48489.0000	Black Indicator Ring for Thermal Carafe Lid		\$4.25	
40670.0012	Black Replacement 7-hole Spray head for all new brewers		\$4.35	
51315.0101	Black TF Server Faucet Handle (each)		\$6.40	
52547.0000	Black Thermal Carafe Lid		\$3.88	
41808.0000	Carafe Cleaning Brush		\$25.95	
56000.0122	WEQ-10 (1.5)5 Water Filter Cartridge		\$49.60	
56000.0027	WEQ-10 (1.5)5 Water Filter System		\$125.30	
56000.0121	WEQ-10 (1.5)5L Water Filter Cartridge		\$57.00	
56000.0024	WEQ-10 (1.5)5L Water Filter System		\$132.70	
03021.0005	ITCB / ITCB HV Replacement Tea Brew Funnel - Smoke		\$14.30	
32643.0000	ITCB HV Replacement Coffee Brew Funnel - SST Smart FNL		\$113.25	
03021.0008	ITCB Replacement Coffee Brew Funnel - Black Plastic		\$15.70	
47762.0000	Lid Assembly w/Float for Thermal Carafe		\$18.45	
48489.0001	Orange Indicator Ring for Thermal Carafe Lid		\$4.25	
51315.0103	Orange TF Server Faucet Handle (each)		\$7.50	
52547.0001	Orange Thermal Carafe Lid		\$4.07	
53912.1006	Replacement Digital Display - Count Down		\$167.75	
53905.0001	Replacement Top Cap for TF Server		\$1.10	
56000.0120	WEQ-Scale-Pro X Cartridge		\$42.20	
56000.0033	WEQ-Scale-Pro X System		\$78.40	
38227.0000	Spray head Cleaning Tool		\$1.80	
01082.0000	TB3 Stainless Spray head for old style brewers		\$1.90	
03260.0102	TDO-4 Replacement Faucet Assembly		\$11.60	
34093.0000	TDO-4 Server Lid		\$6.30	
40851.0000	TDO-N 3.5 Server Lid		\$8.95	
39600.0001	TDO-N-3.5 Narrow Iced Tea Dispenser		\$100.88	
03260.0103	TDO-N-3.5 Replacement Faucet Assembly		\$11.60	
54083.1000	TF Server Drip Tray Kit		\$18.90	
42750.0200	TF Server, DSG2 1.5gal Count Down Display		\$334.65	
51746.0001	Thermal Carafe, 1.9L Seamless		\$38.22	
TOTAL (Prices shown do not include freight charges or tax. Pricing good through December 31, 2025)				

October 15, 2025, pricing subject to change with 30-day notice. Not to include applicable tariff fees, taxes or freight.

Contact the BUNN Commercial Order Dept. at 800-637-8606, 217-529-6601 outside US. or email your completed form to [specialtyaccounts@bunn.com](mailto:specialtyaccounts@bunn.com).



# Servers and Parts



**Axiom® Thermal Brewer**

Part # **38700.0081\***

Description

Digital Brewer Control™ for precise extraction, brews directly into thermal carafes



**Infusion Series® ITCB BrewWISE® DBC®**

Part # **52300.0102\***

Description

Large 3gal (11.36L) tank provides back-to-back brewing capacity



**1.5 Gal DSG2 TF Server**

Part # **42750.0200**

Description

1.5gal digital ThermoFresh® server DSG Gen 3




**TDO-N 3.5**

Part # **39600.0001**

Description

3.5gal stainless steel narrow iced tea dispenser




**TDO-N 3.5 Faucet**

Part # **03260.0003**

Description

TDO-N 3.5 replacement faucet assembly



**TDO-4 Faucet**

Part # **03260.0002**

Description

TDO-4 replacement faucet assembly



**Black TF Handle**

Part # **51315.0001**

Description

Black ThermoFresh® server faucet handle




**Seamless Thermal Carafe - NEW**

Part # **51746.0001**

Description

1.9L thermal carafe with black lid



**Thermal Carafe Lid with Float**

Part # **47762.0000**

Description

Thermal carafe lid assembly with float for discontinued carafe




**Orange TF Handle**

Part # **51315.0003**

Description

Orange ThermoFresh® server faucet handle



**Black Thermal Carafe Lid - NEW**

Part # **52547.0000**

Description

Lid for new seamless thermal carafe



**Orange Thermal Carafe Lid - NEW**

Part # **52547.0001**

Description

Lid for new seamless thermal carafe



**Count Down Digital Display**

Part # **53912.1006**

Description

1.5 gal DSG with flip cap and decal




**Black Coffee Indicator Ring**

Part # **48489.0000**

Description

Black TC coffee indicator ring for discontinued carafe



**Orange Coffee Indicator Ring**

Part # **48489.0001**

Description

Orange TC coffee indicator ring for discontinued carafe




**TF Server Drip Tray Kit**

Part # **54083.1000**

Description

Removable, plastic TF server drip tray



**TDO-N 3.5 Lid**

Part # **40851.0000**

Description

TDO-N 3.5 server replacement lid





# Servers and Parts




**TF Top Cap**

Part # **53905.0000**

Description

Replacement top caps for TF servers



**TDO-4 Lid**

Part # **34093.0000**

Description

TDO-4 server replacement lid



**ITCB Plastic Coffee Brewer Funnel**

Part # **03021.0008**

Description

ITCB black plastic coffee brew funnel




**ITCB SST Coffee Brewer Funnel**

Part # **32643.0000**

Description

ITCB SST smart coffee brew funnel



**ITCB Tea Brewer Funnel**

Part # **03021.0005**

Description

ITCB translucent tea brewer funnel



**AXIOM® Coffee Brewer Funnel**

Part # **20216.0000**

Description

AXIOM® TC SST coffee brew funnel



**AXIOM®/ITCB Sprayhead - NEW**

Part # **40670.0012**

Description

7 hole, narrow sprayhead for all new brewers



**TB3 Stainless Sprayhead**

Part # **01082.0000**

Description

Stainless steel 6 hole sprayhead for old style tea brewers




**Sprayhead Cleaning Tool**

Part # **38227.0000**

Description

Sprayhead cleaning tool for coffee and tea brewers



**WEQ-10 (1.5)5 Water Filter Cartridge**

Part # **56000.0122**

Description

The filter reduces chlorine taste and odor



**WEQ-10 (1.5)5 Water Filter System**

Part # **56000.0027**

Description

The filter reduces chlorine taste and odor. Includes Manifold Bracket Kit and rinse valve.




**WEQ-10 (1.5)5L Water Filter Cartridge**

Part # **56000.0121**

Description

Protects from hard water and high lime.




**Cleaning Brush**

Part # **41808.0000**

Description

Carafe cleaning brush




**WEQ-10 (1.5)5L Water Filter System**

Part # **56000.0024**

Description

Protects from hard water and high lime.



**WEQ-Scale-Pro X Cartridge**

Part # **56000.0120**

Description

Lime-scale inhibitor designed to reduce scale build-up in ice and hot coffee applications.



**WEQ-Scale-Pro X System**

Part # **56000.0033**

Description

Lime-scale inhibitor designed to reduce scale build-up. Includes stainless steel connections



Prices good through December 31, 2025


# WATER FILTER CARTRIDGE

## Change-Out Instructions


---

for Single Cartridge Systems

---



Remove sanitary cap from cartridge. Install cartridge with a quarter turn to the right until cartridge comes to a complete stop.



# LOW VOLUME STORE CARAFE

## 1.9L Thermal Carafe (1pk)

7.3" x 9.2" x 6.6"  
(18.5cm x 23.4cm x 16.8cm)

- Holds 64oz (1.9L) of coffee or other hot beverages
- Unbreakable stainless steel interior and exterior
- Vacuum insulation keeps beverages hot for hours
- Brew through lid allows for direct brewing
- Fits on BUNN Thermal Carafe and Twin Thermal Carafe brewers



Agency:



### Specifications


**Product #:** 51746.0001  
**Finish:** Stainless/Black  
**Handle:** Black  
**Liner:** Stainless Steel

### Additional Features

Brew-Through Lid  
 Seamless Design

### Holding Capacity

English	Metric
64 oz.	1.9 L



Footnote: - Brewer tank temperature set at 205° F  
 - Servers not preheated (preheating may increase temperature up to 5° F)  
 - 64oz (1.9L) of coffee brewed  
 - Temperature recorded in server



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

# HIGH VOLUME STORE BREWER



## ITCB-DV HV (High Volume)

35.0" x 24.3" x 10.0"  
(88.9cm x 61.7cm x 25.4cm)



- Sleek modernized design language, with rounded angles on the corners and trunk
- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Dual voltage adaptable (can operate at 120V/15 amp or 120/208-240V/20 amp)
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Hot water faucet installed

Agency:



Servers Sold Separately

### Specifications

**Product #:** 52300.0102

**Water Access:** Plumbed

**Interface:** Wireless

**Finish:** Stainless

### Additional Features

### Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	82	60°F (15.5°C)	1	2	60
120/208	14	2900	-	N/A	136	60°F (15.5°C)	1	3	60
120/240	17	4050	-	N/A	181	60°F (15.5°C)	1	3	60

### Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.25

### CAD Drawings

2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

# LOW VOLUME STORE BREWER



## AXIOM-DV-TC

17.8" x 22.5" x 9.0"  
(45.2cm x 57.2cm x 22.9cm)



Server(s) sold separately

- Adjusts automatically to varying water pressure
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Electronic diagnostics and built-in tank drain make service easier
- Ensure coffee quality with programming for brew level, cold brew lock-out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature control
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Accepts thermal carafe up to 8.5" (21.6 cm) tall
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Use in quick turn environments where high quality coffee is continuously refreshed
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Agency:

### Specifications

**Product #:** 38700.0081  
**Water Access:** Plumbed  
**Finish:** Stainless  
**Funnel:** Black Plastic  
**Faucet:** Upper

### Additional Features

DBC

### Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
120	12.5	1500	-	NEMA 5-15P	67	60°F (15.5°C)	1	2	60
120/208	13	2680	-	N/A	121	60°F (15.5°C)	-	-	-
120/240	15	3550	-	N/A	121	60°F (15.5°C)	-	-	-

### Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

### CAD Drawings

2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

# HIGH VOLUME TEA DISPENSER

## TDO-N-3.5 Dispenser w/Solid Lid

21.6" x 13.5" x 6.2"  
(54.9cm x 34.3cm x 15.7cm)

- For use with BUNN TB-3, TB-3Q, ITB and ITCB brewers with 29" trunk height
- Two dispensers placed side-by-side allow for greater capacity, and added flexibility in menu options, within the same footprint as one cylinder or oval dispenser
- 8" cup clearance
- Front - back handles for reduced counterspace usage
- Ships with full-color iced tea decal
- Sump dispense valve assures complete dispensing



Agency:



### Specifications

**Product #:** 39600.0001

**Finish:** Stainless

**Handle:** Front/Back Carry Handles

**Lid Color:** Solid Smoke Lid

### Additional Features

Standard Dispense Faucet

### Holding Capacity

English	Metric
448 oz.	13.2 L



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

# HIGH VOLUME STORE COFFEE SERVER

1.5Gal(5.7L) TF Srvr w/  
Base, DSG GEN3

22.7" x 13.0" x 9.3"  
(57.7cm x 33.0cm x 23.6cm)



- Digital sight gauge operates on four easily replaceable AAA batteries with an average 1-year lifespan: display shows low battery symbol when replacement is needed
- Unique lid design allows the display to be forward or rear facing
- Volume indicator displays how much coffee is left inside the server
- Four-hour digital count-up timer
- Vacuum insulated to keep coffee hot for hours
- Brew-through design with flip lid cover
- Soft-grip bail handle for easy transportation
- Self-locking stand allows for multiple brewing and serving options
- Large cup clearance allows for dispensing into cups, decanters and thermal carafes
- Sturdy aluminum faucet guard keeps faucet area clean and protected
- Drip tray is easily removed for cleaning or to provide extra clearance for dispensing into pitchers
- Fast flow faucet
- Ideal for use with Twin or Single Infusion Series Brewers

Agency:



## Specifications

**Product #:** 42750.0200

**Handle:** Bail Handle

**Liner:** Stainless Steel

**Dispense:** Lever Action

**Lid Color:** Black

## Additional Features

## Holding Capacity

English	Metric
192 oz.	5.7 L



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

# ITCB DIAGNOSTICS

MESSAGE	PROBABLE CAUSE	REMEDY
Temperature Too Low	1. Water temperature in the tank does not meet the ready temperature.	A) Wait for the brewer to heat to the proper temperature.  B) Disable the BREW LOCKOUT function. Refer to programming section for procedure.
Heating Time Too Long	1. Tank Heater failure.  2. Control Board/Thermistor failure	Replace or repair as needed  Replace or repair as needed
Fill Time Too Long	1. Water shut off to brewer  2. Supply line too small or obstructed  3. Inlet Solenoid failure  4. Control Board Failure  5. ON/OFF switch is OFF	Check water supply shut-off  Replace or repair as needed  Replace or repair as needed  Replace or repair as needed  Turn switch ON
Temp Sensor Out Of Range, Check For Bad Connections	1. Temperature Sensor Probe open	Replace or repair as needed
Temp Sensor Out Of Range, Check Wire For Shorts	1. Temperature Sensor Probe wire(s) shorted	Replace or repair as needed

For Phone assistance with BUNN® Technical Service please call (800) 286-6070

# AXIOM® DIAGNOSTICS

MESSAGE	PROBABLE CAUSE	REMEDY
"CHECK SPRAYHEAD FOR LIME" - "CHECK FITTINGS FOR LIME"	1.Lime buildup in sprayhead	Clean sprayhead
	2.Lime buildup in brew valve	Clean valve
	3.Lime buildup in brew tank	Clean tank
"WARNING INACCURATE FLOW" -"TOO MUCH LIME PLEASE REPAIR"	1.Lime buildup in sprayhead	Clean sprayhead
	2.Lime buildup in brew valve	Clean valve
	3.Lime buildup in brew tank	Clean tank
"WARNING VERY LOW FLOW" - "PLEASE REPAIR"	1.Lime buildup in sprayhead	Clean sprayhead
	2.Lime buildup in brew valve	Clean valve
	3.Lime buildup in brew tank	Clean tank
Temperature Too Low	1.Water temperature in the tank does not meet the ready temperature.	A) Wait for the brewer to heat to the proper temperature.  B) Disable the BREW LOCKOUT function. Refer to programming section for procedure.
Heating Time Too Long	1.Tank Heater failure.	Replace or repair as needed
	2.Control Board/Thermistor failure	Replace or repair as needed
Fill Time Too Long	1.Water shut off to brewer	Check water supply shut-off
	2.Supply line too small or obstructed	Replace or repair as needed
	3.Inlet Solenoid failure	Replace or repair as needed
	4.Control Board Failure	Replace or repair as needed
	5.ON/OFF switch is OFF	Turn switch ON
Temp Sensor Out Of Range, Check For Bad Connections	1.Temperature Sensor Probe open	Replace or repair as needed
		Replace or repair as needed
Temp Sensor Out Of Range, Check Wire For Shorts	1.Temperature Sensor Probe wire(s) shorted Clean sprayhead	

# AXIOM® CALIBRATION Information and Video

## Low Brew Level?



**A**



1. Remove sprayhead.




2. Clean sprayhead BUNN cleaning tool or small screwdriver.




3. Clean the sprayhead port using the cleaning tool.


**B**



1. Press the hidden Program Button until Calibrate Flow screen is shown.



2. Select YES.




3. Place measuring container on brewer and press YES.



4. Follow on-screen instructions.



5. Measure the volume collected.



6. Use the (-) or (+) to input volume in ounces, then select DONE.

**C**



Test brew again to verify correct level (64oz.).

**Still not right?**  
Call 1-800-209-2866

To watch the Denny's AXIOM calibration video visit:

<https://vimeo.com/bunn/review/359519740/105348dc88>



## BUNN-O-MATIC COMMERCIAL PRODUCT WARRANTY

Bunn-O-Matic Corp. ("BUNN") warrants equipment manufactured by it as follows:

- 1) All coffee and tea dispensers/servers, MCR/MCP/MCA single cup brewers, and BUNNlink<sup>®</sup> electronic circuit and/or control boards – 1 year parts and 1 year labor.
- 2) Product-specific warranties for Crescendo<sup>®</sup>, Fast Cup<sup>®</sup>, Sure Immersion<sup>®</sup>, Sure Tamp<sup>®</sup>, and others – 1 year parts and 1 year labor. Please visit [commercial.bunn.com/support/warranty-lookup](http://commercial.bunn.com/support/warranty-lookup) for further details.
- 3) All other equipment – 2 years parts and 1 year labor plus added warranties as specified below:
  - a) Electronic circuit and/or control boards – parts and labor for 3 years.
  - b) Compressors on refrigeration equipment – 5 years parts and 1 year labor.
  - c) Grinding burrs on coffee grinding equipment for 4 years or 40,000 pounds of coffee, whichever comes first.

These warranty periods run from the date of installation. BUNN warrants that the equipment manufactured by it will be commercially free of defects in material and workmanship existing at the time of manufacture and appearing within the applicable warranty period. This warranty does not apply to any equipment, component or part that was not manufactured by BUNN or that, in BUNN's judgment, has been affected by misuse, neglect, alteration, improper installation or operation, improper maintenance or repair, non periodic cleaning and descaling, equipment failures related to poor water quality, damage or casualty. In addition, the warranty does not apply to replacement of items subject to normal wear with use including but not limited to user replaceable parts such as seals and gaskets. This warranty is conditioned on the Buyer 1) giving BUNN prompt notice of any claim to be made under this warranty by telephone at (217) 529-6601 or by writing to Post Office Box 3227, Springfield, Illinois 62708-3227; 2) if requested by BUNN, shipping the defective equipment prepaid to an authorized BUNN service location; and 3) receiving prior authorization from BUNN that the defective equipment is under warranty.

**THE FOREGOING WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ANY OTHER WARRANTY, WRITTEN OR ORAL, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF EITHER MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** The agents, dealers or employees of BUNN are not authorized to make modifications to this warranty or to make additional warranties that are binding on BUNN. Accordingly, statements by such individuals, whether oral or written, do not constitute warranties and should not be relied upon.

If BUNN determines in its sole discretion that the equipment does not conform to the warranty, BUNN, at its exclusive option while the equipment is under warranty, shall either 1) provide at no charge replacement parts and/or labor (during the applicable parts and labor warranty periods specified above) to repair the defective

components, provided that this repair is done by a BUNN Authorized Service Representative; or 2) shall replace the equipment or refund the purchase price for the equipment.

**THE BUYER'S REMEDY AGAINST BUNN FOR THE BREACH OF ANY OBLIGATION ARISING OUT OF THE SALE OF THIS EQUIPMENT, WHETHER DERIVED FROM WARRANTY OR OTHERWISE, SHALL BE LIMITED, AT BUNN'S SOLE OPTION AS SPECIFIED HEREIN, TO REPAIR, REPLACEMENT OR REFUND.**

In no event shall BUNN be liable for any other damage or loss, including, but not limited to, lost profits, lost sales, loss of use of equipment, claims of Buyer's customers, cost of capital, cost of down time, cost of substitute equipment, facilities or services, or any other special, incidental or consequential damages.