



BUNN® EQUIPMENT CATALOG

Pricing Effective May 1, 2025



TABLE OF CONTENTS

- 1 Denny's Order Form
- 2 Server and Parts Descriptions
- 4 WEQ Cartridge Instructions
- 5 1.9L Thermal Carafe Details
- 6 ITCB-DV HV Details
- 7 Axiom® DV TC Details
- 8 TDO-N 3.5 Gallon Narrow Dispenser Details
- 9 1.5 Gallon ThermoFresh® Server Details
- 10 H5X Element Hot Water Dispenser Details
- 11 ITCB Diagnostics
- 12 Axiom® Diagnostics
- 13 Axiom® Calibration Sheet
- 14 Warranty Information
 - Airpots, Thermal Carafes, Decanters, and Tea Dispensers – 1 year parts and 1 year labor. All other Equipment – 2 years parts and 1 year labor.
 - Electronic circuit boards and/or control boards – 3 years parts and labor.
 - *See final page of this Document for full Commercial Product Warranty Document.*

Freight: FOB Factory.

Returned Goods Policy: All returns must be authorized in advance. Please call (800) 637-8606, (217) 529-6601 for outside the U.S., or email, commercial.returns@bunn.com for a Return Authorization. Returns are subject to a 25% restocking charge.



BUNN Commercial Order Department

Orders:
specialtyaccounts@bunn.com

Questions: 217-585-7862

Hours: 8:00 am - 4:30 pm (CST)

CONTACT INFORMATION

FOR BUNNServe® PRO:

(800)209-2866

Available 24/7/365

Use of this number is for Service related situations. BUNN will attempt to troubleshoot the issue at no charge over the phone and provide next steps if a Technician is needing to be dispatched to the location for Service and/or Repair.



Order Form

If franchisee does not have an account with BUNN, please call our Commercial Order Dept. to place your order using a credit card.

ORDER CONTACT INFORMATION Account Number: _____ Phone: _____

Company: _____ Contact: _____

SHIPPING INFORMATION (if different than billing information):

Company: _____ Contact: _____

Address: _____

City: _____ State, Zip: _____ Phone: _____

| PART NUMBER | | QTY | PRICE | TOTAL |
|--|---|-----|------------|-------|
| 38700.0081 | Axiom® Thermal Brewer | | \$675.12 | |
| 24500.6054 | PD ADV PROTPLAN 2YR W/WEQ10 - DENNYS | | \$773.60 | |
| 24500.6056 | PD ADV PROTPLAN 2YR LOW VOLUME W/WEQ10 + SCALE PRO - DENNYS | | \$869.20 | |
| 52300.0102 | Infusion Series® ITCB Brew WISE® DBC® | | \$1,101.92 | |
| 24500.6055 | PD ADV PROTPLAN 2YR ITCB W/WEQ10 - DENNYS | | \$821.60 | |
| 24500.6057 | PD ADV PROTPLAN 2YR ITCB W/WEQ10 + SCALE PRO - DENNYS | | \$917.20 | |
| 39100.0005 | H5X® DV Portion Control Hot Water | | \$812.00 | |
| 20216.0000 | Axiom TC Replacement SST Brew Funnel | | \$49.80 | |
| 48489.0000 | Black Indicator Ring for Thermal Carafe Lid | | \$4.25 | |
| 40670.0012 | Black Replacement 7-hole Spray head for all new brewers | | \$4.35 | |
| 51315.0101 | Black TF Server Faucet Handle (each) | | \$6.40 | |
| 52547.0000 | Black Thermal Carafe Lid | | \$3.88 | |
| 41808.0000 | Carafe Cleaning Brush | | \$24.25 | |
| 56000.0122 | WEQ-10 (1.5)5 Water Filter Cartridge | | \$49.60 | |
| 56000.0027 | WEQ-10 (1.5)5 Water Filter System | | \$125.30 | |
| 56000.0121 | WEQ-10 (1.5)5L Water Filter Cartridge | | \$57.00 | |
| 56000.0024 | WEQ-10 (1.5)5L Water Filter System | | \$132.70 | |
| 03021.0005 | ITCB / ITCB HV Replacement Tea Brew Funnel - Smoke | | \$14.30 | |
| 32643.0000 | ITCB HV Replacement Coffee Brew Funnel - SST Smart FNL | | \$111.60 | |
| 03021.0008 | ITCB Replacement Coffee Brew Funnel - Black Plastic | | \$15.70 | |
| 47762.0000 | Lid Assembly w/Float for Thermal Carafe | | \$17.85 | |
| 48489.0001 | Orange Indicator Ring for Thermal Carafe Lid | | \$4.25 | |
| 51315.0103 | Orange TF Server Faucet Handle (each) | | \$7.30 | |
| 52547.0001 | Orange Thermal Carafe Lid | | \$4.07 | |
| 53912.1006 | Replacement Digital Display - Count Down | | \$164.90 | |
| 53905.0001 | Replacement Top Cap for TF Server | | \$1.10 | |
| 56000.0120 | WEQ-Scale-Pro X Cartridge | | \$41.20 | |
| 56000.0033 | WEQ-Scale-Pro X System | | \$74.50 | |
| 38227.0000 | Spray head Cleaning Tool | | \$1.80 | |
| 01082.0000 | TB3 Stainless Spray head for old style brewers | | \$1.90 | |
| 03260.0102 | TDO-4 Replacement Faucet Assembly | | \$11.15 | |
| 34093.0000 | TDO-4 Server Lid | | \$6.30 | |
| 40851.0000 | TDO-N 3.5 Server Lid | | \$8.45 | |
| 39600.0001 | TDO-N-3.5 Narrow Iced Tea Dispenser | | \$105.73 | |
| 03260.0103 | TDO-N-3.5 Replacement Faucet Assembly | | \$11.15 | |
| 54083.1000 | TF Server Drip Tray Kit | | \$18.70 | |
| 42750.0200 | TF Server, DSG2 1.5gal Count Down Display | | \$336.59 | |
| 51746.0001 | Thermal Carafe, 1.9L Seamless | | \$37.44 | |
| TOTAL (Prices shown do not include freight charges or tax. Pricing good through December 31, 2025) | | | | |

May 1, 2025, pricing subject to change with 30-day notice. Not to include applicable tariff fees, taxes or freight.

Contact the BUNN Commercial Order Dept. at 800-637-8606, 217-529-6601 outside US. or email your completed form to specialtyaccounts@bunn.com.



Servers and Parts



Axiom® Thermal Brewer

Part # **38700.0081***

Description

Digital Brewer Control™ for precise extraction, brews directly into thermal carafes



Infusion Series® ITCB BrewWISE® DBC®

Part # **52300.0102***

Description

Large 3gal (11.36L) tank provides back-to-back brewing capacity



H5X-DV Portion Control Hot Water

Part # **39100.0005**

Description

5gal (18.9L) stainless dual volt portion control hot water dispenser



1.5 Gal DSG2 TF Server

Part # **42750.0200**

Description

1.5gal digital ThermoFresh® server DSG Gen 3




TDO-N 3.5

Part # **39600.0001**

Description

3.5gal stainless steel narrow iced tea dispenser



TDO-N 3.5 Faucet

Part # **03260.0003**

Description

TDO-N 3.5 replacement faucet assembly



Black TF Handle

Part # **51315.0001**

Description

Black ThermoFresh® server faucet handle



Seamless Thermal Carafe - NEW

Part # **51746.0001**

Description

1.9L thermal carafe with black lid



Thermal Carafe Lid with Float

Part # **47762.0000**

Description

Thermal carafe lid assembly with float for discontinued carafe




Orange TF Handle

Part # **51315.0003**

Description

Orange ThermoFresh® server faucet handle



Black Thermal Carafe Lid - NEW

Part # **52547.0000**

Description

Lid for new seamless thermal carafe



Orange Thermal Carafe Lid - NEW

Part # **52547.0001**

Description

Lid for new seamless thermal carafe



Count Down Digital Display

Part # **53912.1006**

Description

1.5 gal DSG with flip cap and decal




Black Coffee Indicator Ring

Part # **48489.0000**

Description

Black TC coffee indicator ring for discontinued carafe



Orange Coffee Indicator Ring

Part # **48489.0001**

Description

Orange TC coffee indicator ring for discontinued carafe




TF Server Drip Tray Kit

Part # **54083.1000**

Description

Removable, plastic TF server drip tray



TDO-N 3.5 Lid

Part # **40851.0000**

Description

TDO-N 3.5 server replacement lid




TDO-4 Faucet

Part # **03260.0002**

Description

TDO-4 replacement faucet assembly






Servers and Parts



TF Top Cap
 Part # **53905.0000**
 Description
 Replacement top caps for TF servers




TDO-4 Lid
 Part # **34093.0000**
 Description
 TDO-4 server replacement lid



ITCB Plastic Coffee Brewer Funnel
 Part # **03021.0008**
 Description
 ITCB black plastic coffee brew funnel



ITCB SST Coffee Brewer Funnel
 Part # **32643.0000**
 Description
 ITCB SST smart coffee brew funnel



ITCB Tea Brewer Funnel
 Part # **03021.0005**
 Description
 ITCB translucent tea brewer funnel



AXIOM® Coffee Brewer Funnel
 Part # **20216.0000**
 Description
 AXIOM® TC SST coffee brew funnel




AXIOM®/ITCB Sprayhead - NEW
 Part # **40670.0012**
 Description
 7 hole, narrow sprayhead for all new brewers




TB3 Stainless Sprayhead
 Part # **01082.0000**
 Description
 Stainless steel 6 hole sprayhead for old style tea brewers



Sprayhead Cleaning Tool
 Part # **38227.0000**
 Description
 Sprayhead cleaning tool for coffee and tea brewers




WEQ-10 (1.5)5 Water Filter Cartridge
 Part # **56000.0122**
 Description
 The filter reduces chlorine taste and odor




WEQ-10 (1.5)5 Water Filter System
 Part # **56000.0027**
 Description
 The filter reduces chlorine taste and odor. Includes Manifold Bracket Kit and rinse valve.



WEQ-10 (1.5)5L Water Filter Cartridge
 Part # **56000.0121**
 Description
 Protects from hard water and high lime.



Cleaning Brush
 Part # **41808.0000**
 Description
 Carafe cleaning brush




WEQ-10 (1.5)5L Water Filter System
 Part # **56000.0024**
 Description
 Protects from hard water and high lime.



WEQ-Scale-Pro X Cartridge
 Part # **56000.0120**
 Description
 Lime-scale inhibitor designed to reduce scale build-up in ice and hot coffee applications.




WEQ-Scale-Pro X System
 Part # **56000.0033**
 Description
 Lime-scale inhibitor designed to reduce scale build-up. Includes stainless steel connections




WATER FILTER CARTRIDGE

Change-Out Instructions

for Single Cartridge Systems



Remove sanitary cap from cartridge. Install cartridge with a quarter turn to the right until cartridge comes to a complete stop.



LOW VOLUME STORE CARAFE

1.9L Thermal Carafe (1pk)

7.3" x 9.2" x 6.6"
(18.5cm x 23.4cm x 16.8cm)

- Holds 64oz (1.9L) of coffee or other hot beverages
- Unbreakable stainless steel interior and exterior
- Vacuum insulation keeps beverages hot for hours
- Brew through lid allows for direct brewing
- Fits on BUNN Thermal Carafe and Twin Thermal Carafe brewers



Agency:



Specifications


Product #: 51746.0001
Finish: Stainless/Black
Handle: Black
Liner: Stainless Steel

Additional Features

Brew-Through Lid
 Seamless Design

Holding Capacity

| English | Metric |
|---------|--------|
| 64 oz. | 1.9 L |



Footnote: - Brewer tank temperature set at 205° F
 - Servers not preheated (preheating may increase temperature up to 5° F)
 - 64oz (1.9L) of coffee brewed
 - Temperature recorded in server



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

HIGH VOLUME STORE BREWER



ITCB-DV HV (High Volume)

35.0" x 24.3" x 10.0"
(88.9cm x 61.7cm x 25.4cm)



- Sleek modernized design language, with rounded angles on the corners and trunk
- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Dual voltage adaptable (can operate at 120V/15 amp or 120/208-240V/20 amp)
- Electronic funnel lock prevents removal of each brew funnel until drip-through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Hot water faucet installed

Servers Sold Separately

Agency:



Specifications

Additional Features

Product #: 52300.0102

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Electrical & Capacity

| Volts | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ₂ O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|---------------|------------|------------------------------|------------------------------|-------|---------------------|-------|
| 120 | 14 | 1700 | Yes | NEMA 5-15P | 82 | 60°F (15.5°C) | 1 | 2 | 60 |
| 120/208 | 14 | 2900 | - | N/A | 136 | 60°F (15.5°C) | 1 | 3 | 60 |
| 120/240 | 17 | 4050 | - | N/A | 181 | 60°F (15.5°C) | 1 | 3 | 60 |

Plumbing Requirements

CAD Drawings

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 3/8" Male Flare Fitting | 1.25 |

| 2D | Revit | KLC |
|----|-------|-----|
| • | | |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

LOW VOLUME STORE BREWER



AXIOM-DV-TC

17.8" x 22.5" x 9.0"
(45.2cm x 57.2cm x 22.9cm)



Server(s) sold separately

- Adjusts automatically to varying water pressure
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Electronic diagnostics and built-in tank drain make service easier
- Ensure coffee quality with programming for brew level, cold brew lock-out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature control
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Accepts thermal carafe up to 8.5" (21.6 cm) tall
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)
- Use in quick turn environments where high quality coffee is continuously refreshed
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Agency:

Specifications

Product #: 38700.0081

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Faucet: Upper

Additional Features

DBC

Electrical & Capacity

| Volts | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ₂ O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|---------------|------------|------------------------------|------------------------------|-------|---------------------|-------|
| 120 | 12.5 | 1500 | - | NEMA 5-15P | 67 | 60°F (15.5°C) | 1 | 2 | 60 |
| 120/208 | 13 | 2680 | - | N/A | 121 | 60°F (15.5°C) | - | - | - |
| 120/240 | 15 | 3550 | - | N/A | 121 | 60°F (15.5°C) | - | - | - |

Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 1/4" Male Flare Fitting | - |

CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
| • | | |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

HIGH VOLUME TEA DISPENSER

TDO-N-3.5 Dispenser w/Solid Lid

21.6" x 13.5" x 6.2"
(54.9cm x 34.3cm x 15.7cm)



- For use with BUNN TB-3, TB-3Q, ITB and ITCB brewers with 29" trunk height
- Two dispensers placed side-by-side allow for greater capacity, and added flexibility in menu options, within the same footprint as one cylinder or oval dispenser
- 8" cup clearance
- Front - back handles for reduced counterspace usage
- Ships with full-color iced tea decal
- Sump dispense valve assures complete dispensing

Agency:



Specifications

Product #: 39600.0001

Finish: Stainless

Handle: Front/Back Carry Handles

Lid Color: Solid Smoke Lid

Additional Features

Standard Dispense Faucet

Holding Capacity

| English | Metric |
|---------|--------|
| 448 oz. | 13.2 L |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

HIGH VOLUME STORE COFFEE SERVER

1.5Gal(5.7L) TF Srvr w/
Base, DSG GEN3

22.7" x 13.0" x 9.3"
(57.7cm x 33.0cm x 23.6cm)



- Digital sight gauge operates on four easily replaceable AAA batteries with an average 1-year lifespan: display shows low battery symbol when replacement is needed
- Unique lid design allows the display to be forward or rear facing
- Volume indicator displays how much coffee is left inside the server
- Four-hour digital count-up timer
- Vacuum insulated to keep coffee hot for hours
- Brew-through design with flip lid cover
- Soft-grip bail handle for easy transportation
- Self-locking stand allows for multiple brewing and serving options
- Large cup clearance allows for dispensing into cups, decanters and thermal carafes
- Sturdy aluminum faucet guard keeps faucet area clean and protected
- Drip tray is easily removed for cleaning or to provide extra clearance for dispensing into pitchers
- Fast flow faucet
- Ideal for use with Twin or Single Infusion Series Brewers

Agency:



Specifications

Product #: 42750.0200

Handle: Bail Handle

Liner: Stainless Steel

Dispense: Lever Action

Lid Color: Black

Additional Features

Holding Capacity

| English | Metric |
|---------|--------|
| 192 oz. | 5.7 L |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

HOT WATER DISPENSER

H5X®-DV PC 212

Height: 28.4" Width: 7.5" Depth: 17.4"
(72.1cm) (19.1cm) (44.2cm)



- Dispenses hot water in three portion sizes
- Front of machine volume programming
- Precise temperature (60°F-212°F) (15.5°C-100°C) ensures consistent, high quality results; adjustable in 1° increments
- Three programmable volume settings and one push and hold continuous dispense button
- All stainless design
- Locate hot water at preparation site to increase speed, safety and efficiency of kitchen staff
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)

Agency:



Specifications

Product #: 39100.0005

Finish: Stainless

Faucet: Upper

Temp. Setting: 212°F (100.000°C)

Dispense: Portion Control

Dispense: Push Button

Water Access: Plumbed

Additional Features

Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz (236mL) cups/hr | | Phase | # Wires plus Ground | Hertz |
|---------|------|-------|---------------|------------|---------------------|---------------|-------|---------------------|-------|
| | | | | | 35°F (1.67°C)* | 140°F (60°C)* | | | |
| 120 | 15.4 | 1850 | Yes | NEMA 5-20P | 65 | 160 | 1 | 2 | 60 |
| 120/208 | 15 | 3054 | - | N/A | 109 | 267 | - | - | - |
| 120/240 | 17 | 4050 | - | N/A | 145 | 356 | - | - | - |

*Temperature of water entering the sy

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 1/4" Male Flare Fitting | - |

CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
| • | | |

⚠ **WARNING:**



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

ITCB DIAGNOSTICS

| MESSAGE | PROBABLE CAUSE | REMEDY |
|---|---|--|
| Temperature Too Low | 1. Water temperature in the tank does not meet the ready temperature. | A) Wait for the brewer to heat to the proper temperature. B) Disable the BREW LOCKOUT function. Refer to programming section for procedure. |
| Heating Time Too Long | 1. Tank Heater failure. 2. Control Board/Thermistor failure | Replace or repair as needed Replace or repair as needed |
| Fill Time Too Long | 1. Water shut off to brewer 2. Supply line too small or obstructed 3. Inlet Solenoid failure 4. Control Board Failure 5. ON/OFF switch is OFF | Check water supply shut-off Replace or repair as needed Replace or repair as needed Replace or repair as needed Turn switch ON |
| Temp Sensor Out Of Range, Check For Bad Connections | 1. Temperature Sensor Probe open | Replace or repair as needed |
| Temp Sensor Out Of Range, Check Wire For Shorts | 1. Temperature Sensor Probe wire(s) shorted | Replace or repair as needed |

For Phone assistance with BUNN® Technical Service please call (800) 286-6070

AXIOM® DIAGNOSTICS

| MESSAGE | PROBABLE CAUSE | REMEDY |
|--|--|---|
| "CHECK SPRAYHEAD FOR LIME" - "CHECK FITTINGS FOR LIME" | 1.Lime buildup in sprayhead | Clean sprayhead |
| | 2.Lime buildup in brew valve | Clean valve |
| | 3.Lime buildup in brew tank | Clean tank |
| "WARNING INACCURATE FLOW" -"TOO MUCH LIME PLEASE REPAIR" | 1.Lime buildup in sprayhead | Clean sprayhead |
| | 2.Lime buildup in brew valve | Clean valve |
| | 3.Lime buildup in brew tank | Clean tank |
| "WARNING VERY LOW FLOW" - "PLEASE REPAIR" | 1.Lime buildup in sprayhead | Clean sprayhead |
| | 2.Lime buildup in brew valve | Clean valve |
| | 3.Lime buildup in brew tank | Clean tank |
| Temperature Too Low | 1.Water temperature in the tank does not meet the ready temperature. | A) Wait for the brewer to heat to the proper temperature. |
| | | B) Disable the BREW LOCKOUT function. Refer to programming section for procedure. |
| Heating Time Too Long | 1.Tank Heater failure. | Replace or repair as needed |
| | 2.Control Board/Thermistor failure | Replace or repair as needed |
| Fill Time Too Long | 1.Water shut off to brewer | Check water supply shut-off |
| | 2.Supply line too small or obstructed | Replace or repair as needed |
| | 3.Inlet Solenoid failure | Replace or repair as needed |
| | 4.Control Board Failure | Replace or repair as needed |
| | 5.ON/OFF switch is OFF | Turn switch ON |
| Temp Sensor Out Of Range, Check For Bad Connections | 1.Temperature Sensor Probe open | Replace or repair as needed |
| | | Replace or repair as needed |
| Temp Sensor Out Of Range, Check Wire For Shorts | 1.Temperature Sensor Probe wire(s) shorted Clean sprayhead | |

AXIOM® CALIBRATION Information and Video

Low Brew Level?



A



1. Remove sprayhead.




2. Clean sprayhead
BUNN cleaning tool or
small screwdriver.




3. Clean the sprayhead
port using the
cleaning tool.


B



1. Press the hidden
Program Button until
Calibrate Flow screen
is shown.



2. Select YES.




3. Place measuring
container on brewer
and press YES.



4. Follow on-screen
instructions.



5. Measure the volume
collected.



6. Use the (-) or (+) to
input volume in ounces,
then select DONE.

C



Test brew again to
verify correct level
(64oz.).

Still not right?
Call 1-800-209-2866

To watch the Denny's AXIOM calibration video visit:

<https://vimeo.com/bunn/review/359519740/105348dc88>



BUNN-O-MATIC COMMERCIAL PRODUCT WARRANTY

Bunn-O-Matic Corp. ("BUNN") warrants equipment manufactured by it as follows:

- 1) All coffee and tea dispensers/servers, MCR/MCP/MCA single cup brewers, and BUNNlink® electronic circuit and/or control boards – 1 year parts and 1 year labor.
- 2) Product-specific warranties for Crescendo®, Fast Cup®, Sure Immersion®, Sure Tamp®, and others – 1 year parts and 1 year labor. Please visit commercial.bunn.com/support/warranty-lookup for further details.
- 3) All other equipment – 2 years parts and 1 year labor plus added warranties as specified below:
 - a) Electronic circuit and/or control boards – parts and labor for 3 years.
 - b) Compressors on refrigeration equipment – 5 years parts and 1 year labor.
 - c) Grinding burrs on coffee grinding equipment for 4 years or 40,000 pounds of coffee, whichever comes first.

These warranty periods run from the date of installation. BUNN warrants that the equipment manufactured by it will be commercially free of defects in material and workmanship existing at the time of manufacture and appearing within the applicable warranty period. This warranty does not apply to any equipment, component or part that was not manufactured by BUNN or that, in BUNN's judgment, has been affected by misuse, neglect, alteration, improper installation or operation, improper maintenance or repair, non periodic cleaning and descaling, equipment failures related to poor water quality, damage or casualty. In addition, the warranty does not apply to replacement of items subject to normal wear with use including but not limited to user replaceable parts such as seals and gaskets. This warranty is conditioned on the Buyer 1) giving BUNN prompt notice of any claim to be made under this warranty by telephone at (217) 529-6601 or by writing to Post Office Box 3227, Springfield, Illinois 62708-3227; 2) if requested by BUNN, shipping the defective equipment prepaid to an authorized BUNN service location; and 3) receiving prior authorization from BUNN that the defective equipment is under warranty.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ANY OTHER WARRANTY, WRITTEN OR ORAL, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF EITHER MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The agents, dealers or employees of BUNN are not authorized to make modifications to this warranty or to make additional warranties that are binding on BUNN. Accordingly, statements by such individuals, whether oral or written, do not constitute warranties and should not be relied upon.

If BUNN determines in its sole discretion that the equipment does not conform to the warranty, BUNN, at its exclusive option while the equipment is under warranty, shall either 1) provide at no charge replacement parts and/or labor (during the applicable parts and labor warranty periods specified above) to repair the defective components, provided that this repair is done by a BUNN Authorized Service Representative; or 2) shall replace the equipment or refund the purchase price for the equipment.

THE BUYER'S REMEDY AGAINST BUNN FOR THE BREACH OF ANY OBLIGATION ARISING OUT OF THE SALE OF THIS EQUIPMENT, WHETHER DERIVED FROM WARRANTY OR OTHERWISE, SHALL BE LIMITED, AT BUNN'S SOLE OPTION AS SPECIFIED HEREIN, TO REPAIR, REPLACEMENT OR REFUND.

In no event shall BUNN be liable for any other damage or loss, including, but not limited to, lost profits, lost sales, loss of use of equipment, claims of Buyer's customers, cost of capital, cost of down time, cost of substitute equipment, facilities or services, or any other special, incidental or consequential damages.