HOT DISPENSED BEVERAGE EQUIPMENT



Innovation and Technology

BUNN® innovation and technology are an unbeatable combination in hot powdered drink dispensers, allowing your customers to choose from a variety of hot beverages: Cappuccino, French Vanilla, Hot Chocolate, Chai or Steamers.

Expand Your Menu

Trends show hot beverage sales are extending beyond the traditional coffee customers and the morning segment. Enhance your beverage menu by appealing to the widest audience with a variety of specialty hot beverages.

iMIX[®] 3

Sleek powdered beverage dispenser delivers hot drinks with exceptional reliability and taste - all from an operator friendly design

Three 8lb (3.6kg) hoppers

LED backlit door graphics

Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6g powder per second)

Left or top-hinged door option

Dispense 36 12oz cups in 14 minutes before dropping 10°F from first cup serving temperature

Display allows adjustments and service operational testing from front of machine, communicates machine status, technical support contact information, and advertising messages

iMIX-3S+

Set as push and hold or single size portion control



iMIX-3S+

Prop 65 Warning for California Residents

This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm.

ELECTRICAL DESCRIPTION Dimensions Top Hinge Product # Model Display Height x Width x Depth Volts Door (Inches) 36900.0000 iMIX-3 CAPPUCCINO NO 32.80 12.60 24.10 120 CAPPUCCINO 38600.0001 iMIX-3S+ NO 32.80 12.60 24.10 120 38600.0050 iMIX-3S+ CAPPUCCINO YES 32.80 12.60 24.10 120

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground)

and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.

HO.

iMIX-3

iMIX[®] 5

Sleek powdered beverage dispenser delivers hot drinks with exceptional reliability and taste - all from an operator friendly design

Five 8lb (3.6kg) hoppers

LED backlit door graphics

Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6g powder per second)

Left or top-hinged door option

Display allows adjustments and service operational testing from front of machine, communicates advertising messages, machine status, and technical support contact information

Dispense 68 12oz cups in 37 minutes before dropping 10°F from first cup serving temperature

iMIX-5S+

Set as push and hold or single size portion control





Prop 65 Warning for California Residents

This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm.

iMIX-5

	ELECTRICAL						
Product #	Model	Hot Water Dispense	Top Hinge Door	Dimensions Height x Width x Depth (Inches)			Volts
37000.0000	iMIX-5	NO	NO	32.80	19.30	24.00	120
37000.0020	iMIX-5	NO	YES	32.80	19.30	24.00	120
37000.0022	iMIX-5	YES	YES	32.80	19.30	24.00	120
38100.0003	iMIX-5S+	NO	NO	32.80	19.30	24.00	120
38100.0050	iMIX-5S+	NO	YES	32.80	19.30	24.00	120

2

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground)

and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.

Fresh Mix

Variable speed motor allows control of product consistency in mixing chamber

FMD-1: One 8lb (3.6kg) hopper

- FMD-2: Two 4lb (1.81kg) hoppers
- FMD-3: Three 4lb (1.81kg) hoppers
- FMD-5: Five 4lb (1.81kg) hoppers

Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6g powder per second)

Lighted graphics for merchandising

Fast fill – perfect for quick service restaurants

Each mixing chamber has independent powder to water ratio



FMD-3



Prop 65 Warning for California Residents

This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm.



FMD-1

		DESCRIPTION					ELECTRICAL
Product #	Model	Display	Number of Hoppers	Dimensions Height x Width x Depth (Inches)		Volts	
SET00.0196	FMD-1	MUG DISPLAY	ONE	29.50	8.20	21.00	120
SET00.0203	FMD-1	HOT CHOCOLATE DISPLAY	ONE	29.50	8.20	21.00	120
SET00.0200	FMD-2 Black	MUG DISPLAY	TWO	29.50	8.20	21.00	120
SET00.0207	FMD-2 Stainless	MUG DISPLAY	TWO	29.50	8.20	21.00	120
SET00.0197	FMD-3 Black	CAPPUCCINO DISPLAY	THREE	29.80	11.70	23.30	120
SET00.0198	FMD-3 Stainless	CAPPUCCINO DISPLAY	THREE	29.80	11.70	23.30	120
34900.0000	FMD-5	CAPPUCCINO DISPLAY	FIVE	29.30	18.2-	21.20	120

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground)

and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



5020 Ash Grove Drive, Springfield, IL USA 62711 (+1) 217-529-6601 • 800-637-8606

