



BEAN-TO-CUP & ESPRESSO EQUIPMENT



FAST CUP®

Profitable high-performance bean-to-cup coffee brewer that features an intuitive touchscreen experience, a drip-style flavor profile, and room for large cup sizes. Fresh brewed coffee delivered to your customer in approximately 30 seconds

The bean-to-cup system delivers single cups of fresh coffee, ensuring all your beans are brewed into your customer's cup - complementing dayparts with varying demand for coffee

Three large 3lb bean hoppers provide enough holding capacity for over seventy 16oz cups of coffee each

Large bin holds spent grounds from up to fifty beverages, or a through-counter grounds option allows for an even greater capacity

No paper filter to replace

Picture Prompted Cleaning™ on the touchscreen eases training and maintenance routines

55400.0102 with BUNNlink®

55400.0103 without BUNNlink®

Menu features both hot and iced coffee beverages

VirtualTOUCH™ optional beverage dispensing technology using a QR code and your smart device. (BUNNlink hardware and annual subscription required. Contact your BUNN sales rep for more information.)

California residents see
Prop 65 Warning on page 1

VirtualTOUCH® for FAST CUP
select and dispense a beverage
simply by scanning a QR code.



Fast Cup®

DESCRIPTION						CAPACITY	ELECTRICAL
Product #	Model	Finish	Dimensions Height x Width x Depth (Inches)			16-oz/hr	Volts
55400.0102	FAST CUP	BLACK/STAINLESS	33.49	16.77	24.37	80	208-240
55400.0103	FAST CUP	BLACK/STAINLESS	33.49	16.77	24.37	80	208-240

Sure Immersion®

Fresh, expertly-extracted coffee from an intuitive touchscreen experience

Filter style coffee from a vacuum system with exclusive Air Infusion® extraction control resulting in a clean, balanced cup with a smooth finish

Coffee selections include iced and hot options

Each recipe has programmable air-infusion and immersion control for the Best Result in the Cup™

Dispense fresh coffee in 5 portion sizes, programmable from 6 to 24oz cup, plus carafe

VirtualTOUCH™ optional beverage dispensing technology using a QR code and your smart device.

(BUNNlink hardware and annual subscription required. Contact your BUNN sales rep for more information.)

Optional cashless reader from USA Technologies works with credit cards, debit cards, NFC and mobile wallets

312

Three bean hopper, one grinder and two powder hoppers for cafe style beverage.

220

2 hoppers and two independent grinders with precision burrs for accurate grind profiles

California residents see
Prop 65 Warning on page 1

VirtualTOUCH® for Sure Immersion.
Select and dispense a beverage
simply by scanning a QR code.



Sure Immersion® 220



Sure Immersion® 312

DESCRIPTION						CAPACITY	ELECTRICAL
Product #	Model	Finish	Dimensions Height x Width x Depth (Inches)			8oz cups/hr 296mL cups/hr	Volts
44400.0100	SURE IMMERSION 220	STAINLESS/BLACK	39.40	16.10	19.80	50	120
44400.0101	SURE IMMERSION 220 with printer port	STAINLESS/BLACK	39.40	16.10	19.80	50	120/208-240
44400.0103	SURE IMMERSION 220	STAINLESS/BLACK	39.40	16.10	19.80	50	120/208-240
44400.0104	SURE IMMERSION 220 with printer port	STAINLESS/BLACK	39.40	16.10	19.80	50	120
44400.0105	SURE IMMERSION 220 with BUNNLink®	STAINLESS/BLACK	39.40	16.10	19.80	50	120
44400.0200	SURE IMMERSION 312	STAINLESS/BLACK	40.30	20.10	22.80	50	120
44400.0201	SURE IMMERSION 312 with printer port	STAINLESS/BLACK	40.30	20.10	22.80	50	120
44400.0202	SURE IMMERSION 220 with BUNNLink®	STAINLESS/BLACK	40.30	20.10	22.80	50	120
44400.0240	SURE IMMERSION 312	STAINLESS/BLACK	40.30	20.10	22.80	50	120/208-240

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



Crescendo®

Authentic espresso served pure, or built into your choice of 9 café beverages

Touchpad features two programmable portion sizes, 8 and 12oz and 9 beverage choices, plus hot water

9 bar brew pressure used with a variable brew group produces an excellent single or double shot with beautiful crema

Engineered with three powder hoppers; two 3.3lb hoppers for the larger demand flavors and a third 2.2lb hopper that allows for additional flavor

Large 2.2 lb hopper displays whole coffee beans to provide the visualization of fresh ground coffee for each cup

Pleasing design with a compact footprint

Model 44300.0214 has a flat metal trim panel for merchandising

VirtualTOUCH™ for Crescendo, select and dispense a beverage by hovering a fingertip without touching the machine.

California residents see
Prop 65 Warning on page 1

VirtualTOUCH™ for Crescendo.
Select and dispense a beverage by
hovering a fingertip without touching
the machine.



Crescendo®

DESCRIPTION						CAPACITY	ELECTRICAL
Product #	Model	Finish	Dimensions Height x Width x Depth (Inches)			Shots/hr	Volts
44300.0201	CRESCENDO	BLACK/STAINLESS	31.30	14.10	19.25	40	120
44300.0240	CRESCENDO	BLACK/STAINLESS	31.30	14.10	19.25	40	120/208-240V
44300.0214	CRESCENDO	BLACK/STAINLESS	31.30	14.10	19.25	40	120

Superautomatic Espresso

Reliably serve espresso from an intuitive touchscreen interface, with options to expand your espresso offerings into lattes, cocoa, and other flavors

An easy-to-use touch screen with beautiful graphics to guide the operator

Modular design of systems makes maintenance simple

Adjustable dispense spout

Integrated 1gal single-milk refrigerator with milk-level and temperature monitoring

Simple, screen-prompted cleaning process with reminder and lockout
(daily cleaning for espresso and milk, weekly cleaning for powder)

BLACK & WHITE4c CTM P F RS

Two 2.2lb bean hoppers for your choice of fresh espresso beans

One 4.4lb chocolate powder hopper and four flavors (standard syrup bottle) enable crafting of your favorite café treats, such as vanilla latte and seasonal offerings – your beverage menu is limited only by your imagination

BLACK & WHITE4c CTM P RS

Two 2.2lb bean hoppers for your choice of fresh espresso beans

One 4.4lb chocolate powder hopper to enable crafting of mochas and hot chocolates

California residents see
Prop 65 Warning on page 1



B&W4c CTM P F RS



B&W4c CTM P RS

DESCRIPTION					CAPACITY	ELECTRICAL
Product #	Model	Dimensions Height x Width x Depth (Inches)			shots/hr	Volts
55300.XXXX*	B&W4C CTM P RS	26.60	19.30	23.60	180	208
55300.XXXX*	B&W4C CTM P F RS	26.60	26.00	23.60	180	208

*For information regarding Espresso package options, contact your BUNN Representative by calling 800-626-2866

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



Superautomatic Espresso

Reliably serve espresso from an intuitive touchscreen interface, with options to expand your espresso offerings into lattes, cocoa, and other specialty beverages

Modular design of systems makes maintenance simple

Adjustable dispense spout

Metal brew chamber--- espresso shots made with 8.5 pounds of pressure.

Two 3.3lb bean hoppers for your choice of fresh espresso beans

BLACK & WHITE3 CTMC

One 4.4lb chocolate powder hopper to enable crafting of mochas and hot chocolates

Integrated milk refrigerator holds up to 1.32gal of milk

BLACK & WHITE3 CTM

Integrated milk refrigerator holds up to 1.32gal of milk

BLACK & WHITE3 CTMS

Intellisteam® wand automatically steams milk to proper temperature - no need to monitor with a thermometer and a side-fridge for you primary drinks

BLACK & WHITE3 CTS

Intellisteam® wand automatically steams milk to proper temperature - no need to monitor with a thermometer

Ability to steam .26gal (1L) of milk in under one minute



B&W3 CTMC



B&W3 CTMS



B&W3-CTS



CTM

California residents see
Prop 65 Warning on page 1

DESCRIPTION		CAPACITY			ELECTRICAL	
Product #	Model	Dimensions Height x Width x Depth (Inches)			shots/hr	Volts
43500.XXXX*	B&W3 CTS	30.50	20.40	23.60	240	208
43500.XXXX*	B&W3 CTMS	30.50	30.30	23.60	240	208
43500.XXXX*	B&W CTMC	31.10	30.30	23.60	240	208
43500.XXXX*	B&W3 CTM	30.71	23.60	23.60	240	208

*For information regarding Espresso package options, contact your BUNN Representative by calling 800-626-2866



Superautomatic Espresso

BUNN exclusive design features constant and consistent tamping pressure throughout the brewing process

SURE TAMP®

Intellisteam® wand on SureTamp Steam model automatically steams to proper milk temperature

Two hoppers allow for your choice of fresh espresso beans

SureTamp Auto can be set up as self serve or crew serve

SureTamp Auto milk delivery system accommodates two milk types

BUNNlink Cellular Machine to Machine monitoring

Metal brew chamber heated for the optimal dispense temp of the espresso shot

Picture Prompted Cleaning

Bean hoppers hold 1lb on the left and 1.5lbs on the right - sized to provide 1 day's worth of fresh beans

California residents see
Prop 65 Warning on page 1



Sure Tamp® Steam



Sure Tamp® Auto

DESCRIPTION					CAPACITY	ELECTRICAL
Product #	Model	Dimensions Height x Width x Depth (Inches)			shots/hr	Volts
43400.XXXX*	SURE TAMP STEAM	30.06	12.40	25.28	180	208
43400.XXXX*	SURE TAMP AUTO	30.06	12.40	25.28	180	208

*For information regarding Espresso package options, contact your BUNN Representative by calling 800-626-2866


Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.





Espresso and Bean-to-Cup are In Demand

Automatic coffee equipment will continue to grow in demand as workers begin to return to the workplace. According to the 2021 National Coffee Association Drinking Trends Report, Bean-to-Cup equipment was the only method of consumption that gained usage in offices settings in 2020.



CORPORATE HEADQUARTERS

5020 Ash Grove Drive, Springfield, IL USA 62711
(+1) 217-529-6601 • 800-637-8606



www.bunn.com