



COFFEE GRINDERS

 **BUNN**[®]

G Series VH Grinder

Users have 340° of grind resolution on the “no-click” selection dial, giving them complete freedom when dialing-in their ideal grind particle size.

Available in 1lb, 2lb, and 3lb versions, the GVH features hoppers that are sleek, tinted, and incredibly durable

Versatile design allows grinding into bags, cans, and cups and other containers to meet a multitude of customer needs

Fast grinding – one pound in approximately 30 seconds – maximizes speed of service

340° dial resolution for precise tuning of grind particle size

Ergonomic clamp for holding smaller size bags and containers in place for hands-free operation

Easy to use cleaning lever for complete removal of coffee from grind chamber ensures the customer gets all the coffee ground for them

Precision Rockwell 65C hard burrs provide consistency, grind after grind

Bag switch prevents grinding before bag/container is in place

Four-year warranty on grinding burrs

California residents see
Prop 65 Warning on page 1



GVH-1



GVH-2



GVH-3

DESCRIPTION			DIMENSIONS			CAPACITY	ELECTRICAL
Product #	Model	Finish	Height x Width x Depth (Inches)			Per Hopper	Volts
55600.0100	GVH-1	STAINLESS	23.10	7.00	15.90	1lb .45kg	120
55600.0200	GVH-2	STAINLESS	24.60	7.00	15.90	2lb .9kg	120
55600.0300	GVH-3	STAINLESS	25.80	7.00	15.90	3lb 1.4kg	120



Multi-Hopper Series Grinder and Storage System

An intuitive, portion-controlled coffee grinding system that handles multiple bean varieties

Portion-controlled for the right amount of coffee every time, with 3 batch sizes per hopper

Convenient front-loading hoppers are easy to clean and store individual coffee grind weight profiles

Choice of black or stainless finish

BrewWISE® intelligence means the Smart Funnel® manages the grinding and brewing process from start to finish:

Grinder adjusts the grind time for each batch to deliver just the right grind volumes

Grinder communicates coffee batch size and coffee name to the Smart Funnel during grinding process

BrewWISE brewer reads the information in the Smart Funnel, adjusts the recipe, and brews a flavorful batch of coffee

USB Port on the CBA for Software importing/exporting

RACK AND HOPPER

Store and display coffee varieties and promote fresh ground coffee program

Hoppers with locking lids serve as storage containers when not in the grinder
(lock for lids sold separately)



California residents see Prop 65 Warning on page 1



4 Position Storage System



2 Position Storage System



Hopper Assembly

DESCRIPTION							CAPACITY	ELECTRICAL
Product #	Model	Finish	Number of Hoppers	Dimensions Height x Width x Depth (Inches)			Per Hopper	Volts
35600.0020	MHG	STAINLESS	TWO	29.10	9.36	18.00	6lbs 2.7kg	120
35600.0022	MHG	BLACK	TWO	29.10	9.36	18.00	6lbs 2.7kg	120
36760.0000	TWO POSITION RACK	N/A	N/A	11.50	10.00	16.20	N/A	N/A
36760.0001	FOUR POSITION RACK	N/A	N/A	24.30	10.00	16.20	N/A	N/A
36845.0000	HOPPER ASSEMBLY	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



Weight Driven Series Grinder

Weight-based, portion-control for the right amount of coffee every time with three batch sizes

Unparalleled grind weight accuracy

Front-loading, removable hopper is easy to clean

BrewWISE® intelligence means the Smart Funnel® manages the grinding and brewing process from start to finish:

Grinder communicates coffee weight to the Smart Funnel during the grinding process

BrewWISE brewer reads the information in the Smart Funnel, adjusts the recipe, and brews a flavorful batch of coffee

USB for software importing/exporting"

Precision grinding burrs consistently deliver the specified quality grind, and have a four year warranty

California residents see
Prop 65 Warning on page 1



G9WD-RH

DESCRIPTION					CAPACITY		ELECTRICAL	
Product #	Model	Finish	Number of Hoppers	Dimensions Height x Width x Depth (Inches)			Per Hopper	Volts
40700.0001	G9WD-RH	STAINLESS	ONE	29.80	8.14	19.00	6lbs 2.7kg	120

Portion Control Series Grinder

With three batch sizes per hopper

G9-2T DBC

Two hoppers hold 6lbs each of regular and decaf or specialty beans

Stores individual coffee grind profiles

BrewWISE® intelligence means the Smart Funnel® manages the grinding and brewing process from start to finish:

Grinder adjusts the grind time for each batch to deliver just the right grind volumes

Grinder communicates coffee batch size and coffee name to the Smart Funnel during the grinding process

BrewWISE brewer reads the information in the Smart Funnel, adjusts the recipe, and brews a flavorful batch of coffee

FPG-2 DBC

Two hoppers hold 3lbs each of regular and decaf or specialty beans

Accommodates up to 8" tall French Press or funnel for drip-style brewer

Multi-batch setting allows users to specify a French Press brew size or grind enough coffee into a funnel to brew larger amounts of drip-style coffee



G9-2T DBC



FPG-2 DBC

French press for display purposes only, not available for purchase

California residents see Prop 65 Warning on page 1

DESCRIPTION				CAPACITY			ELECTRICAL	
Product #	Model	Finish	Number of Hoppers	Dimensions Height x Width x Depth (Inches)			Per Hopper	Volts
33700.0000	G9-2T DBC	STAINLESS	TWO	25.00	8.00	18.00	6lbs 2.7kg	120
33700.0001	G9-2T DBC	BLACK	TWO	25.00	8.00	18.00	6lbs 2.7kg	120
36400.0000	FPG-2 DBC	STAINLESS	TWO	22.40	8.30	10.00	3lbs 1.4kg	120

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



Portion Control Series Grinder

Coffee grinding systems with simple switch control operation

G9T HD - 1 HOPPER

Single hopper holds 9lbs

Accommodates larger brew funnels

Precision Rockwell 65C hard burrs provide consistency, grind after grind

LPG - 1 HOPPER

Hopper holds 6lbs

Low profile height and narrow footprint conserves countertop space

Easy access on back for grind weight adjustment

Precision Rockwell 65C hard burrs provide consistency, grind after grind

LPG2E - 2 HOPPERS

3lbs capacity per hopper

Precision Rockwell 65C hard burrs provide consistency, grind after grind

California residents see
Prop 65 Warning on page 1



LPG



LPG-2E



G9T HD

Product #	Model	Finish	Number of Hoppers	Dimensions			Capacity	Electrical
				Height	Width	Depth (Inches)		
05800.0003	G9T HD	STAINLESS	ONE	27.00	8.00	18.00	9lbs 4.2kg	120
20580.0001	LPG	STAINLESS	ONE	15.10	8.64	10.00	6lbs 2.7kg	120
26800.0000	LPG-2E	STAINLESS	TWO	17.50	8.60	11.00	3lbs 1.4kg	120



Bulk Series Grinder

High volume grinding systems with turbo action that draws the coffee through the chamber for greater grinding speed and efficiency

G1, G2, G3 HD

Available in 1, 2 or 3 lb hopper.

Grinds 1lb in approximately 30 seconds.

Wide range of grinds can be selected

California residents see
Prop 65 Warning on page 1



G1 HD



G2 HD



G3 HD

DESCRIPTION		CAPACITY		ELECTRICAL			
Product #	Model	Finish	Dimensions Height x Width x Depth (Inches)			Per Hopper	Volts
22104.0000	G1 HD	BLACK	22.80	7.30	16.00	1lb .45kg	120
22102.0000	G2 HD	BLACK	26.50	7.30	16.00	2lb .9kg	120
22102.0001	G2 HD	RED	26.50	7.30	16.00	2LB .9kg	120
22100.0000	G3 HD	BLACK	27.20	7.40	16.00	3lb 1.4kg	120
22100.0001	G3 HD	RED	27.20	7.40	16.00	3lb 1.4kg	120
41900.0000	G2 TRIFECTA	SILVER	26.50	7.30	16.00	2lb .9kg	120

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



MATCH THE GRIND TO BREW TIME

The brewing or water contact time with the coffee grounds is primarily determined by the grind size and bed depth. A longer brew time is required for the water to penetrate the larger grind particles. The recommended brewing contact times for each grind size are shown here.



General Guideline: The finer the grind, the shorter the time.

BREWER CYCLE TIMING

The brew cycle delivery time of a coffee brewer assists in determining the recommended coffee grind to produce a quality cup. Experimenting with a coarser or finer grind will help operators discover the preferred coffee flavor profile.

BED DEPTH

The ideal depth of the coffee bed in the brew basket is 1-2 inches (2.5-5cm) regardless of the volume of brew. If a coffee bed is less than 1 inch (2.5cm), the water may move through it too quickly and under-extract. Water moving too slowly through a bed depth of more than 2 inches may cause over-extraction and a bitter taste.



CORPORATE HEADQUARTERS

5020 Ash Grove Drive, Springfield, IL USA 62711

(+1) 217-529-6601 • 800-637-8606



www.bunn.com