



ICED COFFEE & COLD BREW



A tall, clear glass filled with a dark, rich beer. The beer has a thick, creamy head of foam that cascades down the sides of the glass. Several large, clear ice cubes are visible at the bottom of the glass, partially submerged in the liquid. The background is a blurred wooden surface.

The Nitron Experience

No milk or sugar needed! The BUNN® exclusive in-line nitro infuser produces up to 3 minutes* of cascading micro-bubbles, crowning your beverage with a stout-like head that tastes distinctively creamy and delivers a soft, velvety mouthfeel.

Proven Technology

Leveraging BUNN's consistent and reliable High Intensity® mixing chamber assures a perfectly blended finished beverage, cup-after-cup.

**Results based on product concentrate used*

Infusion Series® Platinum Edition® Coffee and Tea Combo

The Infusion Series coffee and tea equipment platform provides Best Result in the Cup™ performance with the proven industry knowledge to deliver the lowest cost of ownership

ITCB-DV

The powerful duo of a BUNN-exclusive Peak Extraction® Sprayhead coupled with SmartWAVE® technology delivers increased turbulence in the coffee bed, unrivaled uniformity of extraction and complexity in the finished beverage

Brews into all BUNN iced tea dispensers (except TDS-5), 0.5 to 1gal airpots, thermal carafes and can accommodate BUNN® ThermoFresh® 1.0 Gallon Baseless Servers.

Dual Voltage (DV) models can operate at 120V/15 amp or 120/208-240V/17 amp

California residents see
Prop 65 Warning on page 1



 Servers sold separately

ITCB

DESCRIPTION								PAPER FILTER		CAPACITY COFFEE	CAPACITY TEA	ELECTRICAL
Product #	Model	Flip Tray	Funnel Type Coffee	Funnel Type Tea	Dimensions Height x Width x Depth (Inches)			BUNN # Coffee	BUNN # Tea	8oz cups/hr 236mL cups/hr		Volts
29" TRUCK HEIGHT 73.66cm TRUNK HEIGHT												
52500.0100	ITCB-DV-PE	YES	STAINLESS	QUICK TIP TEA	35.00	11.60	22.60	20138.1000	20100.0000	78	334	120
										136	334	120/208
										162	334	120/240
54000.0100	ITCB-DV-HV-PE	NO	STAINLESS	QUICK TIP TEA	35.00	10.00	22.60	20138.1000	20100.0000	81	336	120
										136	336	120/208
										183	336	120/240
54100.0100	ITCB-HV-PE TWIN	NO	STAINLESS	QUICK TIP TEA	35.00	20.20	26.00	20138.1000	20100.0000	280	672	120/240
Compatible Dispensers - TD4, TD4T, TDS-3, TDS-3.5, TDJ-4, TDO-5, TDO-N-3.5, TDO-N-4, TD3T-N Tea Dispensers, 3.8 and 5.7L ThermoFresh® Servers; With Flip Tray - 2.5 - 3.8L Airpots and 1.9L Thermal Carafes												

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



Infusion Series® Standard Edition Coffee and Tea Combo

High Volume

The Infusion Series coffee and tea equipment platform provides Best Result in the Cup™ performance with the proven industry knowledge to deliver the lowest cost of ownership

Achieve a variety of flavor profiles and batch options with programmable Digital Brewer Control. BrewWISE® intelligence with pre-infusion and pulse brew ensures ultimate control of your brewing process and maximum flavor extraction.

High volume model includes Smart Funnel® for coffee; compatible with BrewWISE® grinders

Large 3gal tank provides back-to-back brewing capacity

Single model is dual voltage adaptable and can operate at 120V/15amp, 120/208V/20amp or 120/240V/20amp

California residents see
Prop 65 Warning on page 1

Servers sold
separately



ITCB-DV HV



ITCB-Twin HV

DESCRIPTION							PAPER FILTER		CAPACITY COFFEE	CAPACITY TEA	ELECTRICAL
Product #	Model	Funnel Type Coffee	Funnel Type Tea	Dimensions Height x Width x Depth (Inches)			BUNN # Coffee	BUNN # Tea	8oz cups/hr 236mL cups/hr		Volts
52300.0100	ITCB-DV HV	BLACK/SMART	QUICK TIP TEA	35.00	10.00	24.30	20138.1000	20100.0000	82	334	120
									136	334	120/208
									181	334	120/240
52400.0000	ITCB Twin HV	BLACK/SMART	QUICK TIP TEA	35.00	20.50	23.80	20138.1000	20100.0000	280	672	120/240
Compatible Dispensers - TD4T, TDS-3, TDO-4, TDO-N-3.5, TDO-N-4 Tea Dispensers, 1 and 1.5gal ThermoFresh® Servers											

Infusion Series® Standard Edition Coffee and Tea Combo

Medium Volume

The Infusion Series coffee and tea equipment platform provides Best Result in the Cup™ performance with the proven industry knowledge to deliver the lowest cost of ownership

ITCB-DV

Exclusive Peak Extraction® Sprayhead is lime resistant, multi-directional with a 17-hole design to ensure ultimate uniformity of extraction.

Brews into all BUNN iced tea dispensers (except TDS-5), 64oz to 128.5oz airpots, thermal carafes and can accommodate BUNN® ThermoFresh® 1.0 Gallon Baseless Servers.

Dual Voltage (DV) models can operate at 120V/15 amp or 120/208-240V/17 amp

California residents see
Prop 65 Warning on page 1



Servers sold separately

ITCB

DESCRIPTION									PAPER FILTER		CAPACITY COFFEE	CAPACITY TEA	ELECTRICAL
Product #	Model	Flip Tray	Sweetener	Funnel Type Coffee	Funnel Type Tea	Dimensions Height x Width x Depth (Inches)			BUNN # Coffee	BUNN # Tea	8oz cups/hr 236mL cups/hr	Volts	
29" TRUNK HEIGHT													
52200.0000	ITCB-DV 29" w/ Tray	YES	NO	BLACK PLASTIC	QUICK TIP TEA	35.00	11.60	21.80	20138.1000	20100.0000	78	334	120
											136	334	120/208
											162	334	120/240
Compatible Dispensers - TD4, TD4T, TDS-3, TDS-3.5, TDJ-4, TDO-5, TDO-N-3.5, TDO-N-4, TD3T-N Tea Dispensers, 1 and 1.5gal ThermoFresh® Servers; With Flip Tray - 2.5 - 3.8L Airpots and 1.9L Thermal Carafes													

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



Nitron₂[®] Cold Draft

Keg-free design delivers authentic Cold Brew taste without the need for a complex brewing process

Achieve a nitro infusion with no kegs to change-out, store, clean or sanitize. Various models available using either two 1-gal concentrate BIBs or BUNN refillable containers (for Ball-valve models), two 1/2-gal concentrate BIBs or a single 1-gal concentrate BIB (for Scholle models) that staff are already familiar with and each BIB yields multiple gallons of finished drinks

The Nitron Experience: Patented, in-line gas infuser produces up to 3 minutes of cascading micro-bubbles*, resulting in a nitro cold brew crowned with a smooth, silky, stout-like head that tastes distinctively creamy with a velvety-soft mouthfeel

Outfit the standard and nitro taps with separate beverages - your choice of cold brew coffee, iced coffee, or iced tea - all from one slim, 10-inch-wide countertop design

At a rate of one 16oz drink per minute, can dispense 60 drinks before exceeding 41°F

**based on product concentrate used*

California residents see
Prop 65 Warning on page 1



Nitron₂[®] Cold Draft
(Removable Graphic Door)

DESCRIPTION								ELECTRICAL
Product #	Model	Removable Graphic Door	All Black Door	Temperature Setting °F	Dimensions Height x Width x Depth (Inches)			Volts
51600.0018	NITRON COLD DRAFT C-TOP 4:1 to 12:1	YES	NO	41	34.0	9.8	29.8	120
51600.0020	NITRON COLD DRAFT SCHOLLE 4:1 to 12:1	YES	NO	41	34.0	9.8	29.8	120
51600.0022	NITRON COLD DRAFT ALL-NITRO 4:1 to 12:1	YES	NO	41	34.0	9.8	29.8	120
51600.0028	NITRON COLD DRAFT WITH NITRON GAS MODULE	YES	NO	41	34.0	9.8	29.8	120
51600.0029	NITRON COLD DRAFT SCHOLLE WITH NITRON GAS MODULE	YES	NO	41	34.0	9.8	29.8	120
51600.0030	NITRON COLD DRAFT ALL-NITRO WITH NITRON GAS MODULE	YES	NO	41	34.0	9.8	29.8	120

Nitron²® Cold Draft

Keg-free design delivers authentic Cold Brew taste without the need for a complex brewing process

Achieve a nitro infusion with no kegs to change-out, store, clean or sanitize. Various models available using either two 1-gal concentrate BIBs or BUNN refillable containers (for Ball-valve models), two 1/2-gal concentrate BIBs or a single 1-gal concentrate BIB (for Scholle models) that staff are already familiar with and each BIB yields multiple gallons of finished drinks

The Nitron Experience: Patented, in-line gas infuser produces up to 3 minutes of cascading micro-bubbles*, resulting in a nitro cold brew crowned with a smooth, silky, stout-like head that tastes distinctively creamy with a velvety-soft mouthfeel

Outfit the standard and nitro taps with separate beverages - your choice of cold brew coffee, iced coffee, or iced tea - all from one slim, 10-inch-wide countertop design

At a rate of one 16oz drink per minute, can dispense 60 drinks before exceeding 41°F

**based on product concentrate used*

California residents see
Prop 65 Warning on page 1



Nitron²® Cold Draft
(All Black Door)

DESCRIPTION								ELECTRICAL
Product #	Model	Removable Graphic Door	All Black Door	Temperature Setting °F	Dimensions Height x Width x Depth (Inches)			Volts
51600.0009	NITRON COLD DRAFT SCHOLLE 4:1 to 12:1	NO	YES	41	34.0	9.8	29.8	120
51600.0011	NITRON COLD DRAFT ALL NITRO 4:1 to 12:1	NO	YES	41	34.0	9.8	29.8	120
51600.0016	NITRON COLD DRAFT C-TOP 4:1 to 12:1	NO	YES	41	34.0	9.8	29.8	120
51600.0042	NITRON COLD DRAFT SINGLE 1-GAL SCHOLLE	NO	YES	41	34.0	9.8	29.8	120

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.





CORPORATE HEADQUARTERS

5020 Ash Grove Drive, Springfield, IL USA 62711

(+1) 217-529-6601 • 800-637-8606



www.bunn.com