



# ICED TEA EQUIPMENT

 **BUNN**<sup>®</sup>

# Infusion Series® Standard Edition Iced Tea

Offers a variety of flavor profiles and batch options in a single unit

Three recipe buttons and full/half options for maximum flexibility; brew counter tracks number of batches

The exclusive, multi-directional Peak Extraction® Sprayhead is lime-resistant and ensures ultimate uniformity of extraction

Single-button graphic overlay to customize user interface

Quickbrew (Q) funnel tip for easy conversion

## ITB-DD DUAL DILUTION

Narrow footprint, designed to brew into two BUNN® TDO-N 3.5gal dispensers

Rotating brew basket, base adapter, color-coded decals, and dedicated dilution nozzles included

## ITB & ITB-DD SWEETENER

Sweetener volume adjusts easily with the Sweet Meter

Separate sweetener inlet accommodates either CO<sub>2</sub> systems or external third party pump for sweetener delivery

## ITB-LP LOW PROFILE

Brews directly into TDO-3.5 LP dispenser with brew-thru lid

Compact, low-profile styling for variety of spaces



Servers sold separately

| DESCRIPTION  |                        |           |  |       |       | PAPER FILTER | CAPACITY                     | CAPACITY W/Q FUNNEL TIP      | ELECTRICAL |
|--|------------------------|-----------|--|-------|-------|--------------|------------------------------|------------------------------|------------|
| Product #  | Model                  | Sweetener | Dimensions<br>Height x Width x Depth<br>(Inches) |       |       | BUNN #       | 8oz cups/hr<br>236mL cups/hr | 8oz cups/hr<br>236mL cups/hr | Volts      |
| <a href="#">52000.0000</a>   | ITB                    | NO        | 35.00  | 11.60 | 21.80 | 20100.0000   | 336                          | 523                          | 120        |
| Compatible tea dispensers - TDO-5, TDO-4, TD4T, TDS-3, TDS-3.5, TDO-N 3.5, TDO-N 4, TD3T-N |                        |           |  |       |       |              |                              |                              |            |
| <a href="#">52000.0300</a>   | ITB DD w/<br>Sweetener | YES       | 35.00  | 12.20 | 21.80 | 20100.0000   | 336                          | 523                          | 120        |
| <a href="#">52000.0301</a>   | ITB DDIL               | NO        | 35.00  | 12.20 | 21.80 | 20100.0000   | 336                          | 523                          | 120        |
| Compatible tea dispensers -TDO-N 3.5, TDO-N 4, TD3T-N                                      |                        |           |  |       |       |              |                              |                              |            |
| <a href="#">52000.0101</a>   | ITB-LP                 | NO        | 29.50  | 11.60 | 21.80 | 20100.0000   | 336                          | 523                          | 120        |
| Compatible tea dispensers - TDO-3.5 LP   |                        |           |  |       |       |              |                              |                              |            |





# Automatic Iced Tea Single

Fresh iced tea brewing solution with simple, mechanical switch operation

## TB3, TB3Q

Choose between 25.75" or 29" trunk heights (see table for compatible dispensers)

Dispenser sold separately (except TB3Q w/TD4T)

Quickbrew (Q) models include special funnel tip for shorter brewing cycle

## TB3Q-LP LOW PROFILE

Brew directly into TDO-3.5 LP dispenser (included) with brew-thru lid

Quickbrew (Q) models include special funnel tip for shorter brewing cycle

Compact, low profile styling to accommodate a variety of space



TB3



TB3Q-LP



TB3QT w/TD4T

Servers sold separately

| DESCRIPTION  |         |           |             |                    |  |       |       | PAPER FILTER | CAPACITY                     | ELECTRICAL |
|--|---------|-----------|-------------|--------------------|--|-------|-------|--------------|------------------------------|------------|
| Product #  | Model   | Quickbrew | Ready Light | Dispenser Included | Dimensions<br>Height x Width x Depth<br>(Inches) |       |       | BUNN #       | 8oz cups/hr<br>236mL cups/hr | Volts      |
| 29" TRUNK HEIGHT   |         |           |             |                    |  |       |       |              |                              |            |
| <a href="#">36700.0009</a>   | TB3     | NO        | NO          | NO                 | 34.00  | 11.60 | 22.00 | 20100.0000   | 303                          | 120        |
| <a href="#">36700.0013</a>   | TB3Q    | YES       | NO          | NO                 | 34.00  | 11.60 | 22.00 | 20100.0000   | 523                          | 120        |
| <a href="#">36700.0041</a>   | TB3Q    | YES       | NO          | YES (TD4T)         | 34.00  | 11.60 | 22.00 | 20100.0000   | 523                          | 120        |
| <a href="#">36700.0055</a>   | TB3     | NO        | YES         | NO                 | 34.00  | 11.60 | 22.00 | 20100.0000   | 303                          | 120        |
| Compatible tea dispensers - TDO-5, TDO-4, TD4T (Included with TB3QT), TDS-3, TDS-3.5, TDO-N-3.5, TD3T-N, TDO-N-4 |         |           |             |                    |  |       |       |              |                              |            |
| 25.75" TRUNK HEIGHT  |         |           |             |                    |  |       |       |              |                              |            |
| <a href="#">36700.0030</a>   | TB3     | NO        | NO          | NO                 | 31.00  | 11.60 | 22.00 | 20100.0000   | 303                          | 120        |
| <a href="#">36700.0059</a>   | TB3Q    | YES       | NO          | NO                 | 31.00  | 11.60 | 22.00 | 20100.0000   | 523                          | 120        |
| Compatible tea dispensers - TD4, TDS-3, TDO-4  |         |           |             |                    |  |       |       |              |                              |            |
| LOW PROFILE  |         |           |             |                    |  |       |       |              |                              |            |
| <a href="#">36700.0100</a>   | TB3Q-LP | YES       | NO          | YES (TDO03.5 LP)   | 28.75  | 11.57 | 21.87 | 20100.0000   | 523                          | 120        |
| Compatible tea dispensers - TDO-3.5 LP (Included)  |         |           |             |                    |  |       |       |              |                              |            |

Product #s listed as 120/208V or 120/240V require 3 wires plus ground (2 hot, 1 neutral, ground) and must be connected to 208V service or 240V service, respectively. Please refer to the installation manual for more information.



# Automatic Iced Tea Twin Narrow

Fresh iced tea brewing solution with simple, mechanical switch operation

Specifically designed to accommodate and brew into two BUNN® Narrow Tea Dispensers (can also brew directly into standard tea dispensers)

Includes rotating brew basket, base platform adapter, dedicated dilution nozzles and brew selection switch

Quickbrew (Q) model includes special funnel tip for shorter brewing cycles



TB6

Servers sold separately

| DESCRIPTION  |       |           |  |       |       | PAPER FILTER | CAPACITY                     | ELECTRICAL |
|--|-------|-----------|--|-------|-------|--------------|------------------------------|------------|
| Product #  | Model | Quickbrew | Dimensions<br>Height x Width x Depth<br>(Inches) |       |       | BUNN #       | 8oz cups/hr<br>236mL cups/hr | Volts      |
| <a href="#">36700.0300</a>   | TB6   | NO        | 34.00  | 12.20 | 22.60 | 20100.0000   | 303                          | 120        |
| <a href="#">36700.0301</a>   | TB6Q  | YES       | 34.00  | 12.20 | 22.60 | 20100.0000   | 523                          | 120        |
| Compatible tea dispensers - TDO-N-3.5, TDO-N-4, TD4T, TDS-3, TDS-3.5 |       |           |  |       |       |              |                              |            |