# G Series | Visual Hopper





Fast, Precision

bunn.com/gvh



#### **Reduces Need for** Multiple Grinders

Chute accommodates nearly every size and shape of container for coffee grounds: funnels, large and small bags, cans, cups, and more – allowing one grinder to perform the job of multiple grinders

### "No-click" Dial

Offers a custom feel and 340° of grind resolution. Choose from two decals: one with increasing size increments for upscale and specialty environments, and another iconbased design for grocery store applications.

#### 40% Faster Grind Times


At 2 pounds per minute, the G Series grinds faster than similarly-priced competitors.



#### **Flexible Options**

Hoppers available in 1lb, 2lb, or 3lb options can be easily swapped to meet changing demands.





**Clear Hopper** 









Showcases Beans Hoppers are made out of a clear,

BPA-free material that allows customers to see whole beans.

**Precision Burrs** Reliably deliver the grind your customers are looking for.

## MODELS



| Product #                   | Model  | Volts   | Amps         | Watts    | Hertz | Phase | Plug       | # Wires plus<br>ground | Agency |
|-----------------------------|--------|---------|--------------|----------|-------|-------|------------|------------------------|--------|
| U.S. Market                 |        |         |              |          |       |       |            |                        |        |
| 55600.0100                  | GVH-1  | 120     | 11           | 1320     | 60    | 1     | NEMA 5-15P | 2                      |        |
| 55600.0200                  | GVH-2  | 120     | 11           | 1320     | 60    | 1     | NEMA 5-15P | 2                      |        |
| 55600.0300                  | GVH-3  | 120     | 11           | 1320     | 60    | 1     | NEMA 5-15P | 2                      |        |
| Canada Market               |        |         |              |          |       |       |            |                        |        |
| 55600.6100                  | GVH-1  | 120     | 11           | 1320     | 60    | 1     | NEMA 5-15P | 2                      |        |
| 55600.6200                  | GVH-2  | 120     | 11           | 1320     | 60    | 1     | NEMA 5-15P | 2                      |        |
| 55600.6300                  | GVH-3  | 120     | 11           | 1320     | 60    | 1     | NEMA 5-15P | 2                      |        |
| EMEA, AsiaPac, LATAM Market |        |         |              |          |       |       |            |                        |        |
| 55600.0201                  | GVH-2A | 220-240 | 6.5 -<br>7.8 | 990-1080 | 50-60 | 1     | NEMA 5-15P | 2                      | CE     |
| 55600.0301                  | GVH-3A | 220-240 | 6.5 -<br>7.8 | 990-1080 | 50-60 | 1     | NEMA 5-15P | 2                      | CE     |
| 55600.0302                  | GVH-3A | 220-240 | 6.5 -<br>7.8 | 990-1080 | 50-60 | 1     | NEMA 5-15P | 2                      | CE     |
| 55600.0304                  | GVH-3A | 220-240 | 6.5 -<br>7.8 | 990-1080 | 50-60 | 1     | NEMA 5-15P | 2                      | CE     |
| EMEA Market, LATAM Market   |        |         |              |          |       |       |            |                        |        |
| 55600.0303                  | GVH-3A | 220-240 | 6.5 -<br>7.8 | 990-1080 | 50-60 | 1     | NEMA 5-15P | 2                      |        |
| 55600.0305                  | GVH-3A | 220-240 | 6.5 -<br>7.8 | 990-1080 | 50-60 | 1     | NEMA 5-15P | 2                      |        |
|                             |        |         |              |          |       |       |            |                        |        |

Detailed specifications are available on www.bunn.com

5020 Ash Grove Drive, Springfield, IL 62711 USA (800) 637-8606 | +1 (217) 529-6601 | www.bunn.com



8/22 © 2018 Bunn-O-Matic Corporation