



# Meet the JDF

BUNN JDF cold beverage dispensers provide an ideal solution for serving a wide variety of cold beverages from concentrates for popular selections like juices, lemonades, iced teas, mocktails, and cold coffees.

The exclusive BUNN High Intensity® Mixing System assures perfectly prepared drinks.

Multiple merchandising options are available including the unique four and two segment graphic door models, as well as tap handle dispense models that allow the operator to easily change brightly lit door graphics and handles to promote new or limited time offerings.



## Consistent Quality in the Cup

The viscosity or thickness of concentrates can vary widely. To ensure consistent results in every cup, BUNN has developed the High Intensity Mixing System which provides great-tasting, quality juices and other flavored beverages every time.

The concentrate is injected along with water under high pressure into the mixing chamber and is then thoroughly blended to create a quality-finished beverage.

This assures a high-quality, delicious beverage of ideal consistency from the top to the bottom of every glass.

## Expanded Cold Drink Menu

Compact cold drink dispenser that delivers beverages from both frozen and ambient formats, maximizing profitability by providing a variety of products

Expand your cold beverage menu with juices, teas, mocktails, lemonades, and cold coffee beverages dispensed from JDF.





Silver Series Models



Segmented Door Models



Tap Handle Model

## Exceptional User Experience

The JDF family has a variety of model options to provide exceptional user experience for consumers. Models with push and hold dispense buttons provide the ability to serve a variety of cup sizes. Models with portion control dispense buttons allow for serving portioned sizes to minimize waste and spillage, perfect for self-service operations.

LED backlit models illuminate brightly lit door graphics to promote new or limited time offerings. The JDF-4 Tap presents attractive styling with a removable graphic and tap handles, offering a canvas for marketing brands and products for a unique consumer experience.

## Drink Output

2-head JDF dispensers deliver 85 drinks at a rate of 1-12oz drink per minute before exceeding 41F drink temperature (75F ambient incoming water w/ a 8lb ice bank)

4-head JDF dispensers deliver 145 drinks at a rate of 3-12oz drinks per minute before exceeding 41F drink temperature (75F ambient incoming water w/ a 16lb ice bank)



## JDF-4 Tap

Function meets style with the JDF-4 Tap. Attractive styling with removable graphics and tap handles encourages customization and the flexibility to offer unique beverages.

# MODELS

Product Number	Model	Door Type	Dispense Type	Volts	Amps	Watts	Hertz	Phase	Plumping Fitting	Agency
<b>SEGMENTED DOOR MODELS</b>										
37900.0061	JDF-2S, 2 Segment	Un-Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0063	JDF-2S, 2 Segment	Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0064	JDF-2S, 2 Segment	Lit	Portion Control	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0070	JDF-2S, 2 Segment	Un-Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0071	JDF-2S, 2 Segment	Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0072	JDF-2S, 2 Segment	Lit	Portion Control	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0076	JDF-2S, 2 Segment, w/ Water	Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0079	JDF-4S, PS 4 Segment	Un-Lit	Push Button, Single Size Portion Control	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0080	JDF-4S, 4 Segment	Lit	Push Button, Single Size Portion Control	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0094	JDF-4S, 4 Segment w/ Water	Lit	Push Button	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
<b>SILVER SERIES MODELS</b>										
37900.0001	JDF-2S	Un-Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0009	JDF-2S Lit Door	Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0008	JDF-2S	Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0016	JDF-2S Lit Door	Lit	Portion Control	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0044	JDF-2S Lit Door	Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37900.0054	JDF-2S, PH Push and Hold	Lit	Push Button	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0000	JDF-4S	Un-Lit	Push Button	120	6	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0002	JDF-4S	Un-Lit	Push Button	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0004	JDF-4S Lit Door	Lit	Push Button, Single Size Portion Control	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0006	JDF-4S	Lit	Push Button	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0016	JDF-4S	Un-Lit	Push Button	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0023	JDF-4S Lit Door	Lit	Portion Control	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0054	JDF-4S Lit Door	Lit	Push Button	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
<b>TAP HANDLE MODEL</b>										
37300.0096	JDF-4 Tap	Juice	Tap Handles	120	4.5	540	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0097	JDF-4 Tap	Cold Coffee	Tap Handles	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0098	JDF-4 Tap	N/A	Tap Handles	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0099	JDF-4 Tap	Juice	N/A	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL
37300.0400	JDF-4 Tap	Cold Coffee	N/A	120	6	720	60	1	3/8" Male Flare Fitting	NSF, ETL



(217) 529-6601 | [www.bunn.com](http://www.bunn.com)