

Ultra[®] NX

Frozen Beverage Dispenser



**Reduces total cost of ownership, Maximizes equipment uptime,
Improved design makes maintenance easier**

bunn.com/ultranx

THE NEXT GENERATION OF FROZEN BEVERAGE DISPENSERS

LOWERED Cost of Ownership

The Ultra NX is designed to provide a reduced cost of ownership by lowering service and maintenance costs. The enhanced auger drive system and seal design are built for a longer lasting and more reliable performance. Additionally, a new leak capture feature helps reduce service costs and clean-up time.

IMPROVED Performance

Low-product alerts help minimize product outages (only available on pourover models) and the quick defrost feature helps ensure beverage quality while maximizing uptime.

USER FRIENDLY Ease of Use

The new slide-in hopper graphics allow for quick and easy changes while the USB port provides easy software and setting updates as well as downloads.



Slide-in hopper graphics allow for quick and easy changes



Hopper lid feature for point of purchase graphics



EFFICIENCY & Sustainability

The Ultra NX uses an environmentally friendly, natural refrigerant with low global warming potential (not available in all markets). The quieter, more efficient refrigeration system and LED lighting help reduce energy consumption.

ENHANCED Design & Features

The Ultra NX strengthens the already profitable and reliable Ultra equipment platform by offering enhanced design features that deliver a total cost of ownership reduction. The Ultra NX maximizes equipment uptime while providing easier equipment maintenance.

BUNNlink[®] tech connected.


An IoT machine management platform to communicate remotely with equipment to enable data backed decisions



Optional faucet for dispensing chilled (non-frozen) product



A robust leg redesign eliminates potential breakage when moving the unit.



Magnetic hopper light connectors simply disconnect for easy removal and to prevent breakage



Magnetic air filter design provides easy removal and re-install for hassle-free maintenance.

Autofill Models

The BUNN Ultra autofill system reduces labor and ensures your products are ready to serve at peak demand.

CF Valve Autofill Models

- Liquid auto-fill interface with constant flow valves

LAFI Autofill Models

- Liquid auto-fill interface with brix pumps

PAF Powdered Autofill Models

- Powder auto-fill system with two large product hoppers that hold 2 gallons (7.57L) each to maximize serving capacity



MODELS

Product Number	Model	Finish	Volts	Amps	Watts	Hertz	Shipping Weight	Agency
US Models								
58000.0002	Ultra NX	WHT/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0012	Ultra NX	BLACK	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0000	Ultra NX	WHT/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0010	Ultra NX	BLACK	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0015	Ultra NX	BLK/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0017	Ultra NX	BLK/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0019	Ultra NX	BLK/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0013	Ultra NX	BLACK	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0011	Ultra NX	BLACK	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0016	Ultra NX	BLK/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0003	Ultra NX	WHT/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0014	Ultra NX	BLACK	120V	12	1440	50/60	137.2 lbs	ETL NSF
58000.0001	Ultra NX	WHT/SST	120V	12	1440	50/60	137.2 lbs	ETL NSF
EU/UK Models								
58000.0041	Ultra NXA	BLACK	230V	4.7-5.1	1080-1180	50/60	62.2 kg	ETL NSF
58000.0044	Ultra NXA	BLACK	230V	4.7-5.1	1080-1180	50/60	62.2 kg	ETL NSF
58000.0040	Ultra NXA	BLACK	230V	4.7-5.1	1080-1180	50/60	62.2 kg	ETL NSF
58000.0048	Ultra NXA	BLACK	230V	4.7-5.1	1080-1180	50/60	62.2 kg	ETL NSF
58000.0042	Ultra NXA	BLACK	230V	4.7-5.1	1080-1180	50/60	62.2 kg	ETL NSF

5020 Ash Grove Drive, Springfield, IL 62711 USA
 (800) 637-8606 | +1 (217) 529-6601 | www.bunn.com

