

A close-up photograph of a hand holding a black Bunn coffee carafe, pouring dark coffee into a white cup. The carafe has a silver handle and a spout. The Bunn logo is visible on the side of the carafe. The background is blurred, showing a person in a green shirt and a white plate with food.

SERVING & HOLDING EQUIPMENT



Brewed coffee and tea should be enjoyed while flavor and aroma are at their peak.

BUNN® offers a range of holding and serving equipment designed to keep your beverage at its best.

Keep your coffee at its best.

Ideal holding temperature: 175°F to 185°F

Most volatile aromatics in coffee have boiling points well below that of water and continue to evaporate from the surface until pressure in the serving container reaches equilibrium. A closed container can slow the process of evaporation.

Ideal serving temperature: 155°F to 175°F

Volatile aromatics in coffee are not perceived when coffee is served at lower temperatures.

Ideal holding time: 20 minutes in an open top decanter/60 minutes in a closed container

Holding coffee longer will result in loss of the smooth, sweet and complex flavors and instead produce a scorched or bitter taste.

Iced tea at its peak

Because of its natural properties, brewed tea is susceptible to bacterial contamination and growth. Never hold it for more than 12 hours at room temperature and only brew what you reasonably expect to sell in that time.



Coffee Decanters and Warmers

High quality, durable serving option for quick-turn serving environments

EASY POUR®

BUNN® exclusive design; high quality stainless steel base with drip proof, fast-pour lip

RFID DECANTERS

Replaceable RFID collar tracks coffee freshness with compatible brewers

GLASS DECANTERS

Reliable, shatter-resistant, and perfectly balanced with laboratory-grade, stress-free glass

WARMERS

Ideal solution for remote serving; separate "on/off" switch

DECANTERS					COMPATIBLE EQUIPMENT
Product #	Model	Capacity	Handle Color	Quantity Per Case	Brewers
06100.0101	Easy Pour	64oz	Black	1	12 Cup <u>Decanter Brewers:</u> VP17 VPR VPS AXIOM CW CWT CWTf CRTf RL VLfP
06100.0102	Easy Pour	64oz	Black	2	
06100.0103	Easy Pour	64oz	Black	3	
06100.0106	Easy Pour	64oz	Black	6	
06100.0112	Easy Pour	64oz	Black	12	
06100.0124	Easy Pour	64oz	Black	24	
06100.0156	Easy Pour	64oz	Black	24	
06101.0101	Easy Pour	64oz	Orange	1	
06101.0102	Easy Pour	64oz	Orange	2	
06101.0103	Easy Pour	64oz	Orange	3	
06101.0106	Easy Pour	64oz	Orange	6	
06101.0112	Easy Pour	64oz	Orange	12	
06101.0124	Easy Pour	64oz	Orange	24	
42400.0024	Glass	64oz	Black	24	
42400.0101	Glass	64oz	Black	1	
42400.0103	Glass	64oz	Black	3	
42401.0024	Glass	64oz	Orange	24	AXIOM RFID
42401.0101	Glass	64oz	Orange	1	
42401.0103	Glass	64oz	Orange	3	
42400.0203	Glass	64oz	Black	3	
42401.0203	Glass	64oz	Orange	3	AXIOM RFID
WARMERS					
Product #	Model	Finish	Number of Warmers	Volts	
11402.0001	WL2 Step Up	Stainless	2	120	
06450.0004	WX1	Stainless	1	120	
06310.0004	WX2 Side by Side	Stainless	2	120	



Seamless Thermal Carafe



Thermal Carafe



Vacuum Pitcher



Lever-Action Airpot

Thermal Carafes, Pitchers and Airpots

*Portable, low volume serving options
that hold optimal flavor profile*

CARAFES							COMPATIBLE EQUIPMENT
Product #	Model	Capacity		Liner	Lid Color	Quantity per Case	Brewers
		oz	L				
36029.0001	Deluxe Thermal Carafe	64	1.9	Stainless Steel	Black	One	VPR-TC CW15-TC AXIOM-DV-TC SmartWAVE CWTF-TC
36029.0000	Deluxe Thermal Carafe	64	1.9	Stainless Steel	Black	Twelve	
36252.0001	Deluxe Thermal Carafe	64	1.9	Stainless Steel	Orange	One	
36252.0000	Deluxe Thermal Carafe	64	1.9	Stainless Steel	Orange	Twelve	
51746.0001	Seamless Thermal Carafe	64	1.9	Stainless Steel	Black	One	
51746.0101	Seamless Thermal Carafe	64	1.9	Stainless Steel	Black	Twelve	
51746.0003	Seamless Thermal Carafe	64	1.9	Stainless Steel	Black/Orange	One	
51746.0103	Seamless Thermal Carafe	64	1.9	Stainless Steel	Black/Orange	Twelve	
PITCHERS							
Product #	Model	Capacity		Liner	Quantity per Case		Brewers
		oz	L				
39430.0000	Vacuum	64	1.9	Stainless Steel	One		SmartWAVE
39430.0100	Vacuum	64	1.9	Stainless Steel	Six		SmartWAVE
AIRPOTS							COMPATIBLE EQUIPMENT
Product #	Model	Capacity		Liner	Quantity per Case		Brewers
		oz	L				
28696.0002	Push-Button	74	2.2	Glass	One		VPR-APS CW15-APS ICB-DV AXIOM-DV-APS AXIOM Twin APS SmartWAVE CWTF-APS ITCB-DV (flip tray)
28696.0006	Push-Button	74	2.2	Glass	Six		
13041.0001	Push-Button	84	2.5	Glass	One		
13041.0101	Push-Button	84	2.5	Glass	Six		
32700.0000	Lever-Action	74	2.2	Glass	Six		
32125.0000	Lever-Action	84	2.5	Stainless Steel	One		
32125.0100	Lever-Action	84	2.5	Stainless Steel	Six		
32130.0000	Lever-Action	102	3	Stainless Steel	One		
32130.0100	Lever-Action	102	3	Stainless Steel	Six		
36725.0000	Lever-Action	128	3.8	Stainless Steel	One		
36725.0100	Lever-Action	128	3.8	Stainless Steel	Six		

Universal Airpot Racks

Versatile merchandising system for airpots

Displays can be combined or taken apart easily for greater flexibility

Sturdy, carbon-steel wire construction with vinyl coating resists corrosion, easy to clean

Configurations available for two to six airpots



UNIV-3 APR



UNIV-4 APR



UNIV-2 APR

Product #	Model	Dimensions			Capacity
		Height	Width	Depth	
35728.0000	UNIV-2 APR (1 Upper, 1 Lower)	14.10	7.50	24.10	Two Airpots
35728.0001	UNIV-2 APR (2 Lower)	6.90	14.90	11.20	Two Airpots
35728.0002	UNIV-3 APR (3 Lower)	6.90	22.90	11.20	Three Airpots
35728.0003	UNIV-4 APR (2 Upper, 2 Lower)	14.00	14.90	24.90	Four Airpots
35728.0004	UNIV-5 APR (3 Upper, 2 Lower)	14.00	22.90	24.90	Five Airpots
35728.0005	UNIV-6 APR (3 Upper, 3 Lower)	14.00	22.90	24.90	Six Airpots



1.5gal TF Server
(Stand included)

ThermoFresh® Digital Gauge Servers

Holds flavor profile for hours without traditional warming plates

TF SERVER

Digital timer begins to count up in one minute increments to specifically display how long the brewed beverage has been stored; requires four AAA batteries; display shows low battery symbol

Choose from stainless or black finishes

Brew-thru lid design also features a pour spout for easy emptying and cleaning

Translucent faucet guard for visibility while dispensing

TF SERVER WITHOUT STAND

Ideal with Infusion Series® Coffee Brewer (ICB)

TF SERVER STAND

Use for easy dispensing; 7.05" (17.9cm) cup clearance

Built-in drip tray is easily removed for cleaning or providing extra clearance for large vessels

Ideal for use with Single or Dual DBC Brewers



1.5gal TF Server
without stand



TF Server
Stand

Product #	Model	Dimensions			Holding Capacity		Includes Stand	Finish	Compatible Brewers
		Height	Width	Depth	gal	L			
42700.0000	TF Server DSG2	20.70	9.30	13.00	1.0	3.8L	Yes	Stainless	Single TF DBC, Dual TF DBC, ICB Tall, ICB Twin Tall, ITCB-DV, ITCB-DV HV, ITCB Twin HV
42750.0000	TF Server DSG2	22.70	9.30	13.00	1.5	5.7L	Yes	Stainless	
42750.0001	TF Server DSG2	22.70	9.30	13.00	1.5	5.7L	Yes	Black	
42700.0050	TF Server DSG2	12.60	9.10	12.70	1.0	3.8L	No	Stainless	ICB-DV ICB Twin
42700.0051	TF Server DSG2	12.60	9.10	12.70	1.0	3.8L	No	Black	
42750.0050	TF Server DSG2	14.70	9.10	12.70	1.5	5.7L	No	Stainless	
42750.0051	TF Server DSG2	14.70	9.10	12.70	1.5	5.7L	No	Black	
39795.0003	TF Server Stand	9.70	9.25	13.00	n/a	n/a	n/a	Black	n/a

Thermofresh® Mechanical Gauge Servers

Holds flavor profile for hours without traditional warming plates

TF SERVER

Glass sight gauge on front of server allows for visible indication of level capacity

Brew-thru lid design also features a pour spout for easy emptying and cleaning

Choose from stainless or black finishes

TF SERVER WITHOUT STAND

Ideal with Infusion Series® Coffee Brewer (ICB)

TF SERVER STAND

Use for easy dispensing; 7.05" (17.9cm) cup clearance

Ideal for use with Single or Dual DBC Brewers

TITAN TF SERVER

Brew-through lid with tethered cap

Compatible with BUNN Thermofresh® and Infusion Series® Tall Systems

Eco-friendly foam insulated

Contemporary styling and wrap program for maximum merchandising



1.5gal TF Server
(Stand Included)



Titan TF
Server
(1.5 gal)



1gal TF Server
without Stand



TF Server
Stand

Product #	Model	Dimensions			Holding Capacity		Includes Stand	Finish	Compatible Brewers
		Height	Width	Depth	gal	L			
		(Inches)							
44000.0000	TF Server	20.80	9.10	13.00	1.0	3.8L	Yes	Stainless	Single TF DBC, Dual TF DBC, ICB Tall, ICB Twin Tall, ITCB-DV, ITCB-DV HV, ITCB Twin HV
44000.0001	TF Server	20.80	9.10	13.00	1.0	3.8L	Yes	Black	
44050.0000	TF Server	22.90	9.30	13.00	1.5	5.7L	Yes	Stainless	
44050.0001	TF Server	22.90	9.30	13.00	1.5	5.7L	Yes	Black	
46300.0000	Titan TF Server	22.90	11.70	15.30	1.5	5.7L	No	Stainless	ICB-DV ICB Twin
44000.0050	TF Server	12.70	9.10	12.70	1.0	3.8L	No	Stainless	
44000.0051	TF Server	12.70	9.10	12.70	1.0	3.8L	No	Black	
44050.0050	TF Server	14.80	9.10	12.70	1.5	5.7L	No	Stainless	
44050.0051	TF Server	14.80	9.10	12.70	1.5	5.7L	No	Black	
39795.0003	TF Server Stand	9.70	9.25	13.00	n/a		n/a	Black	n/a



1 SH Server
and Docking Station

Soft Heat® Server System

BUNN exclusive technology automatically manages heat in the docking system

SH SERVER

1gal and 1.5gal capacity; choose from five optional holding time settings

Safety-Fresh® brew-thru lid with vapor seal and spill prevention

Soft grip handle for secure portability

SH DOCKING STATION

Remote one and two server docking stations with 4" legs

Instant power contact with servers

Add additional remote stations to increase volume



2SH Docking Station

DON'T SEE WHAT YOU NEED? CONTACT YOUR BUNN REPRESENTATIVE AT 800-637-8606 OR VISIT BUNN.COM

DESCRIPTION						ELECTRICAL
Product #	Model	Finish	Dimensions Height x Width x Depth (Inches)			Volts
27825.0200	Infusion Series® 1SH Docking Stand	Stainless	9.30	10.40	11.80	120
27825.0201	Infusion Series® 1SH Docking Stand w/ Comm	Stainless	9.30	10.40	11.80	120
27875.0200	Infusion Series® 2SH Docking Stand	Stainless	9.30	20.40	11.80	120
27875.0201	Infusion Series® 2SH Docking Stand w/ Comm	Stainless	9.30	20.40	11.80	120
27850.0200	Infusion Series® 1.5 Gal SH Server	Black/Stainless	14.50	9.10	13.30	24

GPR Servers and Remote Warmers

Safety-Fresh® brew-through lid with vapor seal and spill protection

1.5gal (5.7L) capacity

Top handle allows for easy placement on warmer stations

WARMER

Available with adjustable plastic or satin nickel legs



RWS1
Warmer



1.5 GPR-FF

DON'T SEE WHAT YOU NEED? CONTACT YOUR BUNN REPRESENTATIVE AT 800-637-8606 OR VISIT BUNN.COM

Product #	Model	Dimensions			Capacity		Finish	Volts	Compatible Brewers
		Height	Width	Depth	gal	L			
20950.0004	1.5 GPR-FF	9.80	6.70	12.73	1.5	5.7	Stainless	n/a	Single GPR DBC, Dual GPR DBC, AXIOM Single, Single and Dual
12203.0010	RWS1 Warmer Black Legs	7.50	8.25	9.30	One GPR Server		Stainless	120	1.5GPR
12203.0014	RWS1 Warmer Satin Nickel Legs	7.50	8.25	9.30	One GPR Server		Stainless	120	1.5GPR

Iced Tea and Iced Coffee Dispensers

BUNN exclusive technology automatically manages heat in the docking system

Solid stainless construction stands up to demands of foodservice environments

Durable handle construction

Sump dispense valves assure complete dispensing of beverage

Variety of shapes and sizes for every counter configuration



TDO-N Low Profile Dispenser (Top)
TDO-N Narrow Dispenser (Lower)
w/ Dispense Rack Single LP



Square



Oval



Round



Narrow

NARROW									
Product #	Model	Dimensions Height x Width x Depth (Inches)			Capacity		Handles	Additional Feature	Compatible Brewers
					gal	L			
39600.0001	TDO-N-3.5	21.8	6.2	13.6	3.5	13.2	Front/Back	Standard Dispense Faucet	Tall models w/29" trunk: TB3, TB6 ITB, ITB DD ITCB, ITCB HV ITCB Twin HV
39600.0031	TDO-N-3.5	21.8	6.2	13.6	3.5	13.2	Front/Back	Lift Dispense Faucet	
39600.0047	TDO-N-3.5	21.8	6.2	13.6	3.5	13.2	Front/Back	Solid Lid, Pinch Tube Faucet	
39600.0002	TDO-N-4.0	21.0	6.0	23.6	4	15	Front/Back	Standard Dispense Faucet	
43900.0001	TD3T-N	22.7	6.2	15.1	3.5	13.2	Front/Back	Lift Handle, Brew-Thru Lid	
43900.0002	TD3T-N	22.7	6.2	15.1	3.5	13.2	Front/Back	Lift Handle, Solid Lid	
SQUARE									
03250.0003	TD4	17.1	9.1	15.7	4	15.1	Side	Solid Lid	Short models w/ 25.75" trunk: TB3 ITB ITCB
03250.0006	TD4	17.1	9.1	15.7	4	15.1	Side	Brew-Thru Lid	
03250.0004	TD4T	22.0	9.1	15.7	4	15.1	Side	Solid Lid, Tall	Tall models w/ 29" trunk: ITB ITCB ITCB HV
03250.0005	TD4T	22.0	9.1	15.7	4	15.1	Side	Brew-Thru Lid, Tall	
03250.0018	TD4T	22.0	9.1	15.7	4	15.1	Side	Brew-Thru Lid, Tall, No Decal	
CYLINDER - ROUND									
33000.0000	TDS-3	19.0	9.8	12.8	3	11.4	Side	Stainless Lid	TB3 ITB
33000.0023	TDS-3.5	20.4	9.8	12.8	3.5	13.2	Side	Stainless Lid	ITCB ITCBHV
33000.0001	TDS-5	25.6	9.8	14.8	5	18.9	Side	Stainless Lid	TU5
CYLINDER - OVAL									
34100.0000	TDO-4	19.0	10.7	13.7	4	15	Side	Solid, Plastic Lid	TB3 ITB ICB ITCB HV
34100.0002	TDO-4	19.0	10.7	13.7	4	15	Side	Brew-Thru Plastic Lid	
34100.0001	TDO-5	22.0	10.7	13.7	5	18.9	Side	Solid, Plastic Lid	
34100.0003	TDO-5	22.0	10.7	13.7	5	18.9	Side	Brew-Thru Plastic Lid	
LOW PROFILE									
39600.0066	TDO-N-2.0 LP	10.3	6.2	13.6	2	7.5	Front/Back	Standard Dispense Faucet	Short models w/ 25.75" trunk: TB3 ITB ITCB
39600.0065	TDO-N-3.5 LP	15.2	6.2	13.6	3.5	13.2	Front/Back	Standard Dispense Faucet	
37100.0000	TDO-3.5 LP	10.0	9.8	16.1	3.5	13.2	Side	Brew-Thru Plastic Lid	TB3 LP, ITB LP
ACCESSORIES									
49634.0000	Dispense Rack Single LP	24.5	6.5	17.8	n/a	n/a	Side	n/a	TDO-N-2.0 LP TDO-N-3.5 LP
50845.0000	Booster Wire Form	11.0	8.9	13.7	n/a	n/a	Side	n/a	TDO-N-2.0 LP TDO-N-3.5 LP
37675.0001	Remote Server Stand	9.1	11.6	14.0	n/a	n/a	Top	n/a	TDO-3.5 LP
50534.1000	Slide Lid Assembly	1.5	6.3	15.0	n/a	n/a	n/a	n/a	TDO-N-2.0 LP TDO-N-3.5 LP
TEA CONCENTRATE DISPENSERS									
37750.0002	TCD-2	22.3	12.8	18.9	2	7.6	Side	Two Nozzle	



USA • CANADA • MEXICO • UNITED KINGDOM • GERMANY • BRAZIL • CHINA • UAE



corporate headquarters

5020 Ash Grove Drive • Springfield, Illinois 62711 • USA
(+1) (217) 529-6601 • (800) 637-8606